

# 2009 Florida Youth Substance Abuse Survey Detailed Tables



**Table 1. Major demographic characteristics of surveyed Florida youth in 2009**

	Unweighted		Weighted	
	%	N	%	N
<b>Sex</b>				
Female	51.3	5,726	47.8	5,337
Male	46.1	5,153	49.5	5,531
<b>Race/Ethnic group</b>				
African American	17.7	1,972	20.3	2,264
American Indian	1.1	121	0.6	69
Asian	2.1	237	1.3	150
Hispanic/Latino	25.2	2,811	19.9	2,224
Native Hawaiian/Pacific Islander	0.6	64	0.4	43
Other/Multiple	15.1	1,688	12.7	1,414
White, non-Hispanic	37.1	4,142	44.0	4,917
<b>Age</b>				
10	0.1	7	0.1	6
11	4.8	532	3.6	399
12	15.3	1,703	12.1	1,349
13	17.3	1,927	14.3	1,592
14	16.3	1,825	15.0	1,678
15	14.6	1,626	16.1	1,794
16	12.7	1,417	15.1	1,691
17	11.4	1,274	14.0	1,558
18	6.1	680	8.1	900
19 or older	0.8	92	1.1	121
<b>Grade</b>				
6th	18.9	2,108	14.6	1,628
7th	17.6	1,962	14.4	1,607
8th	16.5	1,841	14.5	1,620
9th	13.8	1,543	15.7	1,752
10th	12.5	1,398	15.0	1,673
11th	11.4	1,269	13.7	1,530
12th	9.4	1,045	12.1	1,354
<b>Overall Middle School</b>	52.9	5,911	43.5	4,856
<b>Overall High School</b>	47.1	5,255	56.5	6,310
<b>Total</b>	<b>100.0</b>	<b>11,166</b>	<b>100.0</b>	<b>11,166</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases.

**Table 2. Demographic characteristics of historical samples—2000 to 2009**

	2000		2002		2004		2006		2008		2009	
	N	%	N	%	N	%	N	%	N	%	N	%
<b>Sex</b>												
Female	30,783	49.5	32,534	51.7	31,076	51.5	27,252	47.6	43,913	48.0	5,337	47.8
Male	29,031	46.7	28,411	45.1	27,126	45.0	28,304	49.4	45,413	49.6	5,531	49.5
<b>Race/Ethnic group</b>												
African American	11,946	19.8	12,100	19.2	11,358	18.8	9,572	16.7	16,647	18.2	2,264	20.3
Hispanic/Latino	9,926	16.4	11,786	18.7	12,820	21.2	11,336	19.8	20,767	22.7	2,224	19.9
White, non-Hispanic	27,389	45.4	27,644	43.9	25,443	42.2	26,239	45.8	37,000	40.4	4,917	44.0
<b>Age</b>												
11	3,253	5.2	2,342	3.7	2,367	3.9	1,951	3.4	3,294	3.6	399	3.6
12	7,420	11.9	8,767	13.9	7,778	12.9	6,872	12.0	10,971	12.0	1,349	12.1
13	9,072	14.6	9,552	15.2	9,144	15.2	8,377	14.6	13,299	14.5	1,592	14.3
14	9,742	15.7	9,835	15.6	9,586	15.9	8,781	15.3	14,098	15.4	1,678	15.0
15	9,940	16.0	10,912	17.3	10,397	17.2	9,914	17.3	14,339	15.7	1,794	16.1
16	8,883	14.3	8,763	13.9	8,675	14.4	8,861	15.5	13,913	15.2	1,691	15.1
17	7,339	11.8	7,251	11.5	7,468	12.4	7,453	13.0	12,824	14.0	1,558	14.0
18	4,276	6.9	4,531	7.2	4,214	7.0	4,270	7.5	7,552	8.3	900	8.1
<b>Grade</b>												
6th	9,576	15.4	9,751	15.5	8,939	14.8	7,818	13.7	13,265	14.5	1,628	14.6
7th	9,404	15.1	9,700	15.4	9,082	15.0	8,435	14.7	13,552	14.8	1,607	14.4
8th	9,154	14.7	9,319	14.8	8,885	14.7	8,377	14.6	12,869	14.1	1,620	14.5
9th	11,265	18.1	11,932	19.0	11,137	18.5	9,884	17.3	14,738	16.1	1,752	15.7
10th	8,913	14.3	8,302	13.2	8,391	13.9	8,545	14.9	13,593	14.9	1,673	15.0
11th	6,965	11.2	7,211	11.5	7,197	11.9	7,491	13.1	12,297	13.4	1,530	13.7
12th	5,824	9.4	6,163	9.8	6,283	10.4	6,343	11.1	11,157	12.2	1,354	12.1
<b>Overall Middle School</b>	28,133	45.3	28,771	45.7	26,906	44.6	24,630	43.0	39,686	43.4	4,856	43.5
<b>Overall High School</b>	32,967	53.0	33,608	53.4	33,008	54.7	32,263	56.3	51,785	56.6	6,310	56.5
<b>Total</b>	<b>62,146</b>	<b>62,146</b>	<b>62,934</b>	<b>100.0</b>	<b>60,345</b>	<b>100.0</b>	<b>57,274</b>	<b>100.0</b>	<b>91,471</b>	<b>100.0</b>	<b>11,166</b>	<b>100.0</b>

Note: Demographic results represent samples after sample weights have been applied.

**Table 3. Lifetime prevalence of ATOD use in 2009**

	Grade Level						
	6th %	7th %	8th %	9th %	10th %	11th %	12th %
Alcohol	23.7	36.4	51.7	62.0	64.0	69.6	73.1
Cigarettes	10.8	17.1	26.2	29.7	30.4	33.3	37.9
Smokeless Tobacco	--	--	--	11.5	11.3	12.1	15.1
Marijuana or Hashish	3.9	8.8	18.5	26.1	30.3	34.8	37.5
Inhalants	10.9	13.3	14.2	12.3	9.5	8.6	7.8
Ecstasy	--	--	--	3.7	4.9	5.6	5.2
Rohypnol	--	--	--	1.3	0.8	1.2	0.6
GHB	--	--	--	0.6	0.7	0.4	0.3
Ketamine	--	--	--	1.1	0.8	0.9	0.6
Club Drugs	0.7	1.5	3.0	--	--	--	--
LSD or PCP	--	--	--	2.3	2.7	3.2	3.1
Hallucinogenic Mushrooms	--	--	--	5.4	5.7	6.0	5.3
LSD, PCP or Mushrooms	1.0	1.7	3.1	--	--	--	--
Methamphetamine	0.9	1.8	1.2	2.0	1.0	0.8	0.5
Cocaine	--	--	--	3.7	4.2	4.8	7.2
Crack Cocaine	--	--	--	2.2	1.9	0.9	0.9
Cocaine or Crack Cocaine	0.9	1.5	2.9	--	--	--	--
Heroin	0.3	0.7	1.4	1.2	1.0	1.2	0.2
Depressants	1.5	1.8	4.9	7.0	8.5	9.4	11.3
Prescription Pain Relievers	3.0	4.0	7.0	9.2	9.8	10.0	10.9
Prescription Amphetamines	0.6	1.6	2.7	4.5	5.6	4.6	6.1
Steroids (without a doctor's order)	0.7	0.6	0.9	1.6	1.1	1.1	0.8
Over-the-Counter Drugs	3.0	4.2	6.8	--	--	--	--

**Table 4. Past-30-day prevalence of ATOD use in 2009**

	Grade Level						
	6th %	7th %	8th %	9th %	10th %	11th %	12th %
Alcohol	9.0	16.4	26.4	34.2	35.3	39.7	47.1
Binge Drinking	4.0	6.9	11.9	17.8	20.5	20.8	29.5
Cigarettes	2.5	4.7	8.8	10.3	11.2	13.2	15.2
Smokeless Tobacco	--	--	--	5.5	4.7	5.5	7.0
Marijuana or Hashish	1.9	4.1	9.8	14.9	15.8	19.0	21.8
Inhalants	3.7	6.1	5.3	4.3	2.2	1.4	1.8
Ecstasy	--	--	--	1.4	1.2	1.0	0.9
Rohypnol	--	--	--	0.6	0.4	0.3	0.2
GHB	--	--	--	0.4	0.3	0.3	0.0
Ketamine	--	--	--	0.8	0.4	0.3	0.0
Club Drugs	0.5	0.7	1.0	--	--	--	--
LSD or PCP	--	--	--	0.7	0.6	0.8	0.7
Hallucinogenic Mushrooms	--	--	--	1.9	1.7	1.2	1.5
LSD, PCP or Mushrooms	0.3	0.7	1.3	--	--	--	--
Methamphetamine	0.4	0.9	0.5	1.0	0.2	0.3	0.1
Cocaine	--	--	--	1.1	1.0	0.9	1.4
Crack Cocaine	--	--	--	0.6	0.7	0.2	0.0
Cocaine or Crack Cocaine	0.2	0.8	1.0	--	--	--	--
Heroin	0.1	0.2	0.5	0.4	0.3	0.2	0.0
Depressants	0.4	0.8	2.5	3.4	3.0	3.6	3.9
Prescription Pain Relievers	1.4	2.4	3.2	3.6	4.0	2.5	3.9
Prescription Amphetamines	0.1	0.8	0.8	1.6	1.4	1.3	1.5
Steroids (without a doctor's order)	0.2	0.1	0.3	1.0	0.3	0.7	0.3
Over-the-Counter Drugs	1.8	1.9	3.4	--	--	--	--

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks.

**Table 5. Percentages of surveyed Florida youth who used alcohol in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Alcohol Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	55.0	57.3	58.7	58.1	54.9	55.0	33.0	31.4	32.9	33.1	30.6	29.4
Male	56.5	55.8	56.3	54.3	51.5	52.7	35.6	31.0	31.7	30.9	29.0	29.1
<b>Race/Ethnic group</b>												
African American	41.5	42.3	45.3	43.7	42.8	43.1	21.0	19.8	20.8	19.3	20.1	19.6
Hispanic/Latino	61.0	57.8	60.2	56.8	55.7	58.0	38.7	31.6	33.6	31.8	31.5	30.9
White, non-Hispanic	63.5	63.5	63.0	61.5	57.6	56.8	40.7	37.0	37.9	37.9	34.5	33.3
<b>Age</b>												
11	23.4	24.8	24.1	20.0	18.3	18.9	9.4	8.5	10.1	7.2	6.8	6.3
12	30.7	32.7	33.2	29.4	26.6	26.0	14.5	12.5	12.1	11.6	10.2	9.5
13	42.6	43.5	44.1	41.5	37.9	37.1	23.9	20.3	21.4	19.2	17.6	17.4
14	56.5	56.7	56.4	52.5	49.7	54.3	33.8	29.0	29.7	27.9	26.2	26.6
15	63.5	63.8	65.0	62.9	59.3	62.3	39.3	35.7	37.0	36.1	32.8	36.0
16	67.6	69.0	70.9	69.8	67.3	66.7	44.0	41.2	42.2	41.9	39.4	36.3
17	72.5	73.8	73.5	73.1	70.7	69.0	48.1	45.1	46.0	46.1	44.2	41.6
18	71.6	74.5	75.9	75.8	73.2	74.0	48.5	50.4	53.2	53.3	47.9	46.7
<b>Grade</b>												
6th	29.2	30.4	29.3	26.3	24.2	23.7	14.9	11.6	11.2	11.0	10.3	9.0
7th	39.3	42.0	43.1	39.4	37.0	36.4	21.2	19.4	20.7	17.5	17.0	16.4
8th	54.9	54.9	55.1	52.3	47.9	51.7	33.9	28.4	28.8	27.7	24.7	26.4
9th	62.4	62.2	63.9	60.3	57.3	62.0	38.4	34.7	35.8	34.4	31.6	34.2
10th	66.8	68.4	68.8	68.4	66.0	64.0	42.1	38.3	40.5	40.7	38.1	35.3
11th	71.2	73.0	73.9	72.6	70.0	69.6	46.1	44.7	45.4	44.0	42.5	39.7
12th	76.2	75.4	75.8	76.0	73.9	73.1	52.1	51.4	51.0	52.2	48.2	47.1
<b>Overall Middle School</b>	41.1	42.3	42.6	39.7	36.3	37.4	23.3	19.7	20.3	19.0	17.3	17.3
<b>Overall High School</b>	67.9	68.5	69.6	68.4	66.2	66.8	43.5	40.8	42.0	41.8	39.5	38.6
<b>Total</b>	<b>55.7</b>	<b>56.5</b>	<b>57.5</b>	<b>56.1</b>	<b>53.2</b>	<b>53.9</b>	<b>34.3</b>	<b>31.2</b>	<b>32.3</b>	<b>32.0</b>	<b>29.8</b>	<b>29.3</b>

**Table 6. Percentage of surveyed Florida youth who used alcohol, and number of occasions in past 30 days, by sex, race/ethnic group, age and grade in 2009**

	2009 Alcohol						
	Number of Occasions in Past 30 Days						
	0 %	1-2 %	3-5 %	6-9 %	10-19 %	20-39 %	40+ %
<b>Sex</b>							
Female	70.6	16.6	6.4	3.3	2.0	0.4	0.6
Male	70.9	15.6	6.2	3.5	2.0	0.6	1.1
<b>Race/Ethnic group</b>							
African American	80.4	12.1	3.6	1.9	0.8	0.2	0.9
Hispanic/Latino	69.1	17.8	6.4	3.1	1.9	0.7	0.9
White, non-Hispanic	66.7	17.6	7.6	4.2	2.6	0.7	0.6
<b>Age</b>							
11	93.7	5.3	0.4	0.1	0.2	0.2	0.1
12	90.5	6.7	1.4	1.0	0.3	0.1	0.1
13	82.6	11.2	2.3	1.7	1.3	0.4	0.4
14	73.4	14.7	6.0	2.9	1.8	0.6	0.5
15	64.0	20.7	6.6	4.7	2.5	0.7	0.9
16	63.7	19.8	8.9	3.9	2.1	0.4	1.1
17	58.4	21.9	10.3	4.4	2.7	1.0	1.2
18	53.3	20.9	11.5	6.8	4.8	0.9	1.8
<b>Grade</b>							
6th	91.0	6.0	1.1	1.0	0.6	0.1	0.2
7th	83.6	10.2	2.6	1.5	1.1	0.4	0.6
8th	73.6	15.5	5.4	2.8	1.7	0.5	0.4
9th	65.8	19.0	6.4	4.5	2.4	0.9	1.0
10th	54.7	20.0	8.0	3.8	1.7	0.4	1.3
11th	60.3	21.1	9.6	4.2	2.6	0.8	1.5
12th	52.9	22.2	11.9	6.2	4.8	0.7	1.4
<b>Overall Middle School</b>	82.7	10.6	3.1	1.8	1.1	0.4	0.4
<b>Overall High School</b>	61.4	20.5	8.8	4.6	2.8	0.7	1.3
<b>Total</b>	<b>70.7</b>	<b>16.2</b>	<b>6.3</b>	<b>3.4</b>	<b>2.0</b>	<b>0.6</b>	<b>0.9</b>

Note: Rounding can produce totals that do not equal 100%.

**Table 7. Percentages of surveyed Florida youth who reported binge drinking, by sex, race/ethnic group, age and grade—2000 to 2009**

	Binge Drinking					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>						
Female	16.2	14.8	14.9	15.8	14.0	14.5
Male	21.6	17.5	17.2	17.6	15.6	16.5
<b>Race/Ethnic group</b>						
African American	11.0	9.0	9.0	8.6	8.1	10.5
Hispanic/Latino	21.7	15.2	17.1	16.5	15.2	14.7
White, non-Hispanic	22.2	20.2	19.4	20.5	18.3	18.4
<b>Age</b>						
11	2.2	3.0	2.6	2.3	1.8	2.0
12	6.1	4.3	4.4	4.2	2.8	3.1
13	12.1	8.4	8.1	7.8	6.0	7.1
14	16.4	13.6	12.8	12.7	10.5	12.5
15	21.4	18.4	18.3	17.6	16.0	19.2
16	25.8	22.4	22.5	23.8	21.6	20.0
17	29.2	24.7	25.5	27.0	24.3	23.0
18	29.8	32.5	31.3	33.3	29.8	31.4
<b>Grade</b>						
6th	7.5	4.4	4.6	4.6	3.4	4.0
7th	10.9	8.3	8.5	7.4	6.2	6.9
8th	16.2	13.1	12.5	12.8	9.1	11.9
9th	22.1	17.1	17.3	17.0	16.0	17.8
10th	23.2	21.5	21.6	22.3	20.3	20.5
11th	26.6	24.2	24.6	24.3	22.5	20.8
12th	30.2	31.2	27.9	32.0	29.3	29.5
<b>Overall Middle School</b>	11.5	8.6	8.5	8.4	6.2	7.6
<b>Overall High School</b>	24.8	22.3	22.0	23.0	21.5	21.8
<b>Total</b>	<b>18.8</b>	<b>16.0</b>	<b>16.0</b>	<b>16.8</b>	<b>14.8</b>	<b>15.6</b>

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks.



**Table 8. Percentages of surveyed Florida youth who used cigarettes in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Cigarette Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	43.8	36.5	34.9	31.7	27.4	26.0	17.9	11.5	11.9	10.9	8.8	8.8
Male	44.5	35.9	33.0	29.4	26.4	26.5	19.1	11.2	10.9	10.4	9.4	9.8
<b>Race/Ethnic group</b>												
African American	30.7	23.0	22.8	19.9	17.4	17.5	6.9	3.3	3.9	3.7	3.4	3.6
Hispanic/Latino	46.6	34.1	34.6	30.1	26.5	26.0	17.6	9.3	10.0	8.3	7.0	7.5
White, non-Hispanic	51.7	43.1	39.2	35.3	32.0	29.9	24.8	16.0	15.7	14.3	12.9	12.6
<b>Age</b>												
11	14.3	12.7	8.7	6.7	5.8	4.2	3.0	2.1	1.8	1.2	0.8	1.0
12	23.2	18.0	15.6	12.5	10.1	10.5	6.7	3.6	3.8	2.8	2.0	1.9
13	33.7	27.8	24.5	21.5	17.4	18.3	12.7	7.3	6.4	5.5	4.5	5.5
14	46.7	36.3	32.9	27.1	24.8	26.2	17.3	10.4	9.7	8.5	7.4	7.6
15	51.9	40.9	38.1	33.9	30.5	30.0	20.8	12.4	13.3	11.5	10.0	11.5
16	53.1	44.7	44.1	39.0	34.5	31.7	24.8	15.0	16.5	14.2	12.7	11.6
17	58.9	49.0	47.3	42.7	38.2	36.8	28.3	17.7	17.6	16.8	14.1	15.1
18	55.4	50.6	48.6	47.4	41.4	38.1	26.7	20.3	18.7	21.2	17.6	15.4
<b>Grade</b>												
6th	23.0	18.5	14.5	12.4	10.7	10.8	7.3	3.7	3.5	3.0	2.2	2.5
7th	32.4	25.7	24.6	20.9	18.0	17.1	12.1	7.0	7.0	5.7	4.7	4.7
8th	44.8	36.1	32.5	27.5	23.7	26.2	18.1	10.7	10.1	9.0	7.1	8.8
9th	50.8	39.6	37.0	31.9	29.0	29.7	21.2	12.3	12.3	10.7	9.7	10.3
10th	53.0	43.0	41.2	37.2	33.1	30.4	23.7	13.4	15.3	13.1	11.8	11.2
11th	55.2	47.9	47.1	39.8	36.8	33.3	24.5	16.8	16.8	14.7	14.0	13.2
12th	56.2	50.3	47.2	47.1	40.3	37.9	25.4	20.0	17.7	20.1	15.7	15.2
<b>Overall Middle School</b>	33.4	26.7	23.9	20.5	17.4	18.1	12.5	7.1	6.9	6.0	4.7	5.4
<b>Overall High School</b>	53.3	44.2	42.2	38.1	34.4	32.5	23.3	14.9	15.0	14.1	12.6	12.3
<b>Total</b>	<b>44.2</b>	<b>36.2</b>	<b>34.0</b>	<b>30.6</b>	<b>27.0</b>	<b>26.2</b>	<b>18.4</b>	<b>11.4</b>	<b>11.4</b>	<b>10.6</b>	<b>9.1</b>	<b>9.3</b>

**Table 9. Percentages of surveyed Florida youth who used smokeless tobacco in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Smokeless Tobacco Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	7.4	5.6	5.7	6.2	6.9	6.8	3.0	1.7	2.1	2.2	2.4	2.3
Male	21.1	15.9	14.1	15.3	18.1	17.8	9.3	6.3	5.5	6.9	8.3	8.8
<b>Race/Ethnic group</b>												
African American	6.3	5.3	3.9	4.1	4.8	4.5	3.6	2.4	1.5	1.8	2.1	1.5
Hispanic/Latino	10.0	7.0	6.7	6.5	6.9	8.1	4.8	2.7	3.1	3.1	3.1	4.2
White, non-Hispanic	19.9	14.1	13.8	15.5	19.2	18.0	7.9	5.1	5.4	6.5	8.2	8.3
<b>Age</b>												
11	4.2	4.0	3.9	3.0	--	--	1.5	1.9	1.2	1.2	--	--
12	7.8	5.3	5.1	5.1	--	--	3.4	1.8	1.9	1.7	--	--
13	11.5	7.6	7.4	8.1	--	0.0	5.5	2.6	2.8	3.3	--	0.0
14	14.1	9.6	8.9	9.4	8.0	8.4	6.3	3.6	3.4	3.6	3.2	4.3
15	14.7	10.7	9.9	11.0	9.8	11.1	6.4	4.0	4.1	4.7	4.3	4.9
16	17.0	12.9	10.7	13.4	12.3	11.3	7.1	4.6	4.5	5.9	5.4	5.1
17	19.6	15.3	13.8	15.1	13.9	13.2	8.2	6.0	4.9	6.5	5.3	5.9
18	21.1	16.0	15.8	17.8	17.1	16.7	9.0	6.0	6.1	8.1	7.8	7.3
<b>Grade</b>												
6th	9.0	5.8	5.8	5.8	--	--	4.4	2.2	2.3	2.1	--	--
7th	11.1	7.6	7.1	7.9	--	--	6.2	2.7	2.8	3.5	--	--
8th	14.1	10.1	9.6	9.8	--	--	5.5	3.9	3.8	3.9	--	--
9th	14.1	10.0	8.8	10.5	10.3	11.5	6.7	3.8	3.3	4.8	4.7	5.5
10th	17.0	12.1	11.0	12.6	11.5	11.3	6.9	4.3	4.8	5.3	4.9	4.7
11th	17.4	14.7	12.3	14.0	13.2	12.1	6.4	5.0	4.8	5.6	5.1	5.5
12th	20.5	14.9	14.8	16.4	15.8	15.1	7.2	6.2	5.0	7.2	7.0	7.0
<b>Overall Middle School</b>	11.4	7.8	7.5	7.9	--	--	5.4	2.9	3.0	3.2	--	--
<b>Overall High School</b>	16.7	12.4	11.2	13.0	12.5	12.4	6.8	4.6	4.3	5.6	5.3	5.6
<b>Total</b>	<b>14.3</b>	<b>10.4</b>	<b>9.6</b>	<b>10.9</b>	--	--	<b>6.2</b>	<b>3.9</b>	<b>3.7</b>	<b>4.6</b>	--	--

**Table 10. Percentages of surveyed Florida youth who used marijuana or hashish in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Marijuana or Hashish Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	24.1	21.5	22.6	21.5	20.0	20.4	11.8	10.5	10.7	10.1	9.8	10.6
Male	30.9	26.2	24.6	23.6	22.1	24.4	17.0	13.9	12.4	12.6	12.3	14.0
<b>Race/Ethnic group</b>												
African American	22.2	15.6	17.2	16.7	15.1	17.1	10.2	6.8	7.8	8.0	7.1	7.9
Hispanic/Latino	26.3	18.5	20.3	19.2	18.7	20.2	13.4	9.0	9.4	8.9	9.6	10.5
White, non-Hispanic	32.7	30.2	28.8	27.2	25.8	25.7	17.9	15.9	14.5	14.2	14.0	14.9
<b>Age</b>												
11	1.7	1.8	1.8	1.5	1.3	1.3	0.7	0.8	1.0	0.9	0.5	1.1
12	4.6	4.4	4.1	3.5	2.6	3.1	2.1	1.9	1.9	1.5	1.0	0.9
13	12.6	11.4	9.8	8.7	7.6	10.2	6.6	5.7	4.5	4.3	4.0	4.6
14	24.1	20.3	19.1	16.7	15.4	18.8	12.3	10.5	9.3	8.7	8.1	10.2
15	33.8	28.0	27.9	25.7	24.1	27.2	19.2	14.8	14.6	13.5	13.3	15.8
16	40.4	35.5	36.8	33.6	31.5	31.5	21.2	18.5	18.0	17.0	16.9	16.7
17	48.3	40.0	39.3	37.6	36.7	37.5	24.6	19.9	18.4	18.6	18.5	21.2
18	42.4	41.7	41.8	42.4	39.1	36.8	21.0	20.3	19.6	20.3	20.4	21.1
<b>Grade</b>												
6th	6.5	4.7	3.6	3.9	2.9	3.9	3.4	2.4	1.8	1.9	1.3	1.9
7th	12.8	10.5	10.3	8.8	7.6	8.8	6.6	5.3	5.2	4.5	4.0	4.1
8th	24.4	19.8	18.5	16.0	15.2	18.5	13.8	10.2	8.9	8.7	7.9	9.8
9th	32.2	27.2	26.2	23.8	22.0	26.1	17.6	14.1	13.6	12.5	12.3	14.9
10th	38.6	32.9	33.7	31.1	29.8	30.3	20.5	17.1	16.8	15.6	15.9	15.8
11th	42.1	39.3	38.8	35.3	35.6	34.8	21.1	19.9	17.7	17.6	18.0	19.0
12th	43.9	40.6	40.6	42.0	38.0	37.5	21.3	19.9	19.2	19.9	19.7	21.8
<b>Overall Middle School</b>	14.6	11.6	10.9	9.8	8.5	10.5	7.9	5.9	5.3	5.2	4.4	5.3
<b>Overall High School</b>	38.2	33.6	33.6	32.0	30.8	31.8	19.8	17.2	16.4	16.0	16.2	17.7
<b>Total</b>	<b>27.5</b>	<b>23.6</b>	<b>23.5</b>	<b>22.5</b>	<b>21.1</b>	<b>22.5</b>	<b>14.4</b>	<b>12.1</b>	<b>11.5</b>	<b>11.4</b>	<b>11.1</b>	<b>12.3</b>

**Table 11. Percentage of surveyed Florida youth who used marijuana or hashish, and number of occasions in past 30 days, by sex, race/ethnic group, age and grade in 2009**

	2009 Marijuana or Hashish						
	Number of Occasions in Past 30 Days						
	0	1-2	3-5	6-9	10-19	20-39	40+
	%	%	%	%	%	%	%
<b>Sex</b>							
Female	89.4	4.2	2.6	1.1	1.2	0.9	0.6
Male	86.0	4.9	1.9	1.8	1.6	1.5	2.3
<b>Race/Ethnic group</b>							
African American	92.1	3.5	1.4	0.8	0.6	0.4	1.2
Hispanic/Latino	89.5	4.3	2.3	1.0	1.2	1.1	0.6
White, non-Hispanic	85.1	5.2	2.4	1.8	1.8	1.6	2.1
<b>Age</b>							
11	98.9	0.2	0.4	0.2	0.0	0.0	0.2
12	99.1	0.4	0.2	0.1	0.1	0.0	0.1
13	95.4	2.1	0.8	0.5	0.8	0.1	0.3
14	89.8	4.5	1.3	1.8	0.8	1.0	0.8
15	84.2	5.9	3.3	2.1	1.8	1.3	1.5
16	83.3	6.5	3.8	1.4	1.4	1.8	1.7
17	78.8	6.8	4.1	2.8	2.7	2.3	2.5
18	78.9	7.1	2.8	1.7	2.6	2.8	4.1
<b>Grade</b>							
6th	98.1	0.6	0.3	0.3	0.2	0.1	0.4
7th	95.9	1.8	0.7	0.6	0.5	0.2	0.2
8th	90.2	4.1	1.6	1.2	1.3	0.8	0.8
9th	85.1	5.5	2.3	2.4	1.6	1.8	1.3
10th	84.2	5.9	3.9	1.4	1.4	1.3	1.9
11th	81.0	7.0	3.7	2.4	1.6	2.0	2.4
12th	78.2	7.1	3.5	2.1	3.2	2.3	3.5
<b>Overall Middle School</b>	94.7	2.2	0.9	0.7	0.7	0.4	0.5
<b>Overall High School</b>	82.3	6.3	3.3	2.1	1.9	1.8	2.2
<b>Total</b>	<b>87.7</b>	<b>4.5</b>	<b>2.3</b>	<b>1.5</b>	<b>1.4</b>	<b>1.2</b>	<b>1.4</b>

Note: Rounding can produce totals that do not equal 100%.

**Table 12. Percentages of surveyed Florida youth who used inhalants in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Inhalant Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	11.3	11.8	13.4	13.4	12.9	12.4	4.3	3.8	4.6	4.4	4.1	4.3
Male	12.7	11.6	12.2	10.9	10.0	9.8	4.8	3.5	3.7	3.4	2.8	3.0
<b>Race/Ethnic group</b>												
African American	5.9	6.2	7.8	7.2	8.8	8.2	2.6	2.2	2.7	2.9	3.6	2.8
Hispanic/Latino	9.4	10.7	12.2	11.3	11.4	10.4	4.0	3.9	4.3	3.6	3.4	3.4
White, non-Hispanic	15.5	13.6	14.8	13.9	12.0	11.9	5.4	3.8	4.5	4.2	3.1	3.2
<b>Age</b>												
11	8.5	9.4	12.8	10.5	9.7	8.8	3.4	3.5	5.2	4.5	4.4	3.3
12	11.4	12.3	13.9	13.2	11.9	12.1	5.4	4.8	6.5	5.2	4.9	4.1
13	14.0	14.3	16.4	14.6	13.7	14.4	6.4	5.5	7.0	6.0	5.2	6.3
14	14.6	13.7	15.8	14.1	13.8	12.7	5.8	4.8	5.3	5.1	4.8	4.9
15	12.2	11.5	12.2	12.2	11.4	12.2	4.5	2.9	3.5	3.4	2.8	4.2
16	10.7	9.5	10.8	11.8	10.4	9.5	3.0	1.9	2.6	2.9	2.4	2.0
17	11.4	9.8	9.5	10.1	9.4	7.3	3.1	2.4	1.6	2.4	1.8	0.9
18	8.7	8.3	8.7	7.6	8.4	9.3	3.4	1.6	1.5	1.4	1.6	2.3
<b>Grade</b>												
6th	10.0	11.3	13.0	12.2	11.5	10.9	4.5	4.5	6.0	5.1	5.2	3.7
7th	14.4	14.4	16.7	14.8	12.9	13.3	6.9	5.8	7.5	6.2	5.2	6.1
8th	15.2	15.0	17.2	14.3	15.1	14.2	6.2	5.2	6.2	5.3	5.2	5.3
9th	13.1	10.9	12.1	12.6	11.4	12.3	4.4	3.2	3.3	3.8	2.9	4.3
10th	11.1	9.7	11.6	11.6	10.6	9.5	3.5	1.7	2.4	2.8	2.4	2.2
11th	8.6	9.6	9.0	10.2	9.4	8.6	2.6	2.0	1.7	2.3	1.5	1.4
12th	9.5	9.0	8.6	8.8	8.6	7.8	2.8	2.0	1.5	1.7	1.9	1.8
<b>Overall Middle School</b>	13.2	13.6	15.7	13.8	13.2	12.8	5.9	5.1	6.6	5.5	5.2	5.0
<b>Overall High School</b>	11.0	10.0	10.6	11.0	10.1	9.7	3.5	2.3	2.4	2.8	2.2	2.5
<b>Total</b>	<b>12.0</b>	<b>11.6</b>	<b>12.9</b>	<b>12.2</b>	<b>11.4</b>	<b>11.0</b>	<b>4.6</b>	<b>3.6</b>	<b>4.2</b>	<b>3.9</b>	<b>3.5</b>	<b>3.6</b>

**Table 13. Percentages of surveyed Florida youth who used Ecstasy in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Ecstasy Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	--	6.8	4.2	3.8	4.9	4.0	--	1.8	1.1	1.1	1.2	0.6
Male	--	6.1	3.5	3.6	5.1	5.8	--	2.2	1.0	1.4	1.9	1.5
<b>Race/Ethnic group</b>												
African American	--	2.4	1.5	1.4	1.9	2.9	--	1.1	0.7	0.5	0.8	0.9
Hispanic/Latino	--	5.6	4.1	3.5	5.1	4.6	--	1.8	1.1	1.2	2.0	1.1
White, non-Hispanic	--	8.6	4.9	4.4	6.0	5.5	--	2.4	1.1	1.4	1.5	1.1
<b>Age</b>												
11	--	0.5	0.4	0.5	--	--	--	0.3	0.1	0.4	--	--
12	--	1.3	1.1	0.7	--	--	--	0.4	0.5	0.2	--	--
13	--	2.5	1.7	1.7	--	0.0	--	1.1	0.6	0.7	--	0.0
14	--	5.2	2.8	2.6	2.5	1.9	--	1.8	1.1	1.0	0.9	0.6
15	--	7.0	4.1	3.3	3.5	4.2	--	2.4	1.3	1.2	1.2	1.2
16	--	9.0	6.2	5.7	4.6	5.6	--	2.6	1.7	1.5	1.3	1.4
17	--	12.1	7.0	5.9	6.0	5.4	--	2.8	1.4	2.0	1.6	0.8
18	--	13.7	7.0	8.1	7.1	4.9	--	3.3	1.1	2.6	2.2	0.9
<b>Grade</b>												
6th	--	1.5	0.8	0.8	--	--	--	0.6	0.3	0.5	--	--
7th	--	2.5	2.1	1.9	--	--	--	1.1	0.9	0.8	--	--
8th	--	4.9	3.1	2.6	--	--	--	1.7	1.2	1.1	--	--
9th	--	6.7	3.6	3.7	3.6	3.7	--	2.1	1.1	1.1	1.3	1.4
10th	--	8.6	6.1	4.6	4.7	4.9	--	2.9	1.4	1.4	1.4	1.2
11th	--	10.9	6.2	5.2	4.9	5.6	--	2.6	1.4	1.6	1.3	1.0
12th	--	14.2	7.1	7.9	6.9	5.2	--	3.5	1.3	2.4	2.1	0.9
<b>Overall Middle School</b>	--	2.9	2.0	1.8	--	--	--	1.1	0.8	0.8	--	--
<b>Overall High School</b>	--	9.4	5.5	5.1	4.9	4.8	--	2.7	1.3	1.6	1.5	1.1
<b>Total</b>	--	<b>6.5</b>	<b>3.9</b>	<b>3.7</b>	--	--	--	<b>2.0</b>	<b>1.1</b>	<b>1.2</b>	--	--

**Table 14. Percentages of surveyed Florida youth who used Rohypnol in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Rohypnol Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	--	1.6	1.5	1.1	1.0	0.7	--	0.5	0.5	0.3	0.3	0.3
Male	--	1.8	1.2	1.3	1.4	1.3	--	0.6	0.5	0.7	0.6	0.4
<b>Race/Ethnic group</b>												
African American	--	0.9	0.6	0.5	0.7	1.5	--	0.5	0.4	0.3	0.3	0.5
Hispanic/Latino	--	1.7	1.6	1.5	1.2	0.6	--	0.5	0.6	0.5	0.4	0.1
White, non-Hispanic	--	1.9	1.5	1.3	1.3	0.9	--	0.5	0.4	0.5	0.4	0.3
<b>Age</b>												
11	--	0.5	0.5	0.3	--	--	--	0.2	0.2	0.5	--	--
12	--	0.7	0.5	0.4	--	--	--	0.2	0.2	0.2	--	--
13	--	1.0	1.0	0.9	--	0.0	--	0.4	0.2	0.4	--	0.0
14	--	2.1	1.4	1.3	0.9	1.0	--	0.6	0.8	0.6	0.4	0.6
15	--	1.7	1.3	1.5	1.2	0.7	--	0.7	0.4	0.6	0.5	0.2
16	--	1.9	2.0	1.3	1.0	1.4	--	0.5	0.6	0.4	0.2	0.6
17	--	2.4	2.0	1.6	1.4	1.0	--	0.6	0.6	0.6	0.4	0.2
18	--	2.6	1.5	1.5	1.3	0.7	--	0.4	0.5	0.6	0.6	0.3
<b>Grade</b>												
6th	--	0.9	0.5	0.6	--	--	--	0.4	0.2	0.4	--	--
7th	--	0.9	1.2	1.0	--	--	--	0.4	0.5	0.5	--	--
8th	--	2.0	1.2	1.4	--	--	--	0.6	0.4	0.5	--	--
9th	--	1.7	1.4	1.2	1.3	1.3	--	0.6	0.5	0.5	0.5	0.6
10th	--	2.1	1.9	1.5	1.1	0.8	--	0.8	0.6	0.6	0.4	0.4
11th	--	1.9	1.8	1.3	1.2	1.2	--	0.4	0.6	0.3	0.4	0.3
12th	--	2.8	1.5	1.7	1.3	0.6	--	0.6	0.4	0.7	0.5	0.2
<b>Overall Middle School</b>	--	1.3	1.0	1.0	--	--	--	0.5	0.4	0.5	--	--
<b>Overall High School</b>	--	2.1	1.6	1.4	1.2	1.0	--	0.6	0.5	0.5	0.4	0.4
<b>Total</b>	--	<b>1.7</b>	<b>1.3</b>	<b>1.2</b>	--	--	--	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	--	--

**Table 15. Percentages of surveyed Florida youth who used GHB in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	GHB Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	--	1.4	1.4	0.9	0.4	0.4	--	0.7	0.7	0.3	0.1	0.3
Male	--	1.6	1.2	1.3	0.9	0.7	--	1.1	0.8	0.7	0.4	0.3
<b>Race/Ethnic group</b>												
African American	--	1.9	2.1	1.1	0.5	0.6	--	1.7	1.7	0.6	0.4	0.1
Hispanic/Latino	--	1.5	1.2	1.1	0.5	0.5	--	0.8	0.8	0.7	0.2	0.1
White, non-Hispanic	--	1.2	0.9	0.9	0.7	0.4	--	0.5	0.3	0.4	0.2	0.3
<b>Age</b>												
11	--	1.8	2.1	0.8	--	--	--	1.6	1.7	0.6	--	--
12	--	2.1	1.7	0.7	--	--	--	1.6	1.1	0.4	--	--
13	--	1.7	1.7	1.2	--	0.0	--	1.3	1.3	0.6	--	0.0
14	--	1.4	1.2	1.1	0.4	0.4	--	0.7	0.8	0.7	0.4	0.4
15	--	1.1	1.1	1.0	0.5	0.6	--	0.6	0.5	0.5	0.2	0.3
16	--	1.2	0.7	1.1	0.6	0.9	--	0.5	0.4	0.4	0.1	0.5
17	--	1.4	1.2	1.0	0.9	0.1	--	0.5	0.4	0.4	0.2	0.1
18	--	1.4	1.5	1.2	0.7	0.3	--	0.4	0.3	0.3	0.4	0.0
<b>Grade</b>												
6th	--	2.4	1.9	1.0	--	--	--	2.0	1.4	0.6	--	--
7th	--	1.6	2.1	1.5	--	--	--	1.2	1.7	0.8	--	--
8th	--	1.3	1.0	1.2	--	--	--	0.8	0.5	0.6	--	--
9th	--	1.1	1.0	1.0	0.7	0.6	--	0.6	0.6	0.4	0.3	0.4
10th	--	1.2	0.9	1.0	0.5	0.7	--	0.6	0.4	0.4	0.2	0.3
11th	--	1.0	0.7	0.7	0.7	0.4	--	0.2	0.2	0.3	0.2	0.3
12th	--	1.9	1.6	1.2	0.6	0.3	--	0.5	0.3	0.5	0.3	0.0
<b>Overall Middle School</b>	--	1.8	1.7	1.2	--	--	--	1.3	1.2	0.7	--	--
<b>Overall High School</b>	--	1.3	1.0	1.0	0.7	0.5	--	0.5	0.4	0.4	0.3	0.3
<b>Total</b>	--	<b>1.5</b>	<b>1.3</b>	<b>1.1</b>	--	--	--	<b>0.9</b>	<b>0.8</b>	<b>0.5</b>	--	--



**Table 16. Percentages of surveyed Florida youth who used ketamine in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Ketamine Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	--	1.2	0.9	0.8	0.6	0.6	--	0.3	0.3	0.3	0.1	0.4
Male	--	1.4	1.0	1.0	0.9	1.2	--	0.5	0.3	0.3	0.3	0.3
<b>Race/Ethnic group</b>												
African American	--	0.7	0.8	0.3	0.4	0.9	--	0.3	0.5	0.3	0.2	0.3
Hispanic/Latino	--	1.3	0.7	0.7	0.7	0.6	--	0.3	0.4	0.3	0.2	0.2
White, non-Hispanic	--	1.5	1.0	1.1	0.8	0.9	--	0.4	0.2	0.3	0.2	0.4
<b>Age</b>												
11	--	0.1	0.1	0.4	--	--	--	0.3	0.1	0.4	--	--
12	--	0.5	0.5	0.4	--	--	--	0.3	0.3	0.1	--	--
13	--	0.8	0.9	0.8	--	0.0	--	0.3	0.2	0.2	--	0.0
14	--	1.3	1.1	0.8	0.8	0.9	--	0.4	0.6	0.4	0.3	0.9
15	--	1.5	0.9	0.8	0.5	1.0	--	0.4	0.3	0.3	0.2	0.5
16	--	1.6	1.0	1.1	0.7	1.1	--	0.4	0.3	0.2	0.2	0.6
17	--	1.8	1.4	1.3	1.0	0.5	--	0.4	0.3	0.4	0.1	0.0
18	--	2.0	1.2	1.1	0.8	0.6	--	0.8	0.5	0.2	0.3	0.0
<b>Grade</b>												
6th	--	0.5	0.4	0.5	--	--	--	0.3	0.2	0.3	--	--
7th	--	0.9	1.1	0.9	--	--	--	0.3	0.6	0.3	--	--
8th	--	1.3	1.1	1.0	--	--	--	0.4	0.3	0.4	--	--
9th	--	1.5	0.9	0.6	0.8	1.1	--	0.3	0.3	0.2	0.3	0.8
10th	--	1.5	1.0	1.0	0.7	0.8	--	0.5	0.3	0.3	0.2	0.4
11th	--	1.6	1.1	1.1	0.7	0.9	--	0.3	0.4	0.2	0.1	0.3
12th	--	2.2	1.4	1.4	0.8	0.6	--	0.7	0.3	0.5	0.2	0.0
<b>Overall Middle School</b>	--	0.9	0.9	0.8	--	--	--	0.4	0.4	0.3	--	--
<b>Overall High School</b>	--	1.7	1.1	1.0	0.8	0.9	--	0.4	0.3	0.3	0.2	0.4
<b>Total</b>	--	<b>1.3</b>	<b>1.0</b>	<b>0.9</b>	--	--	--	<b>0.4</b>	<b>0.3</b>	<b>0.3</b>	--	--

**Table 17. Percentages of surveyed Florida youth who used club drugs in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Club Drug Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	--	--	--	--	1.4	1.5	--	--	--	--	0.5	0.5
Male	--	--	--	--	1.8	2.0	--	--	--	--	0.7	0.9
<b>Race/Ethnic group</b>												
African American	--	--	--	--	1.1	1.4	--	--	--	--	0.5	0.8
Hispanic/Latino	--	--	--	--	2.0	1.7	--	--	--	--	0.8	0.7
White, non-Hispanic	--	--	--	--	1.6	1.9	--	--	--	--	0.5	0.6
<b>Age</b>												
11	--	--	--	--	0.2	0.3	--	--	--	--	0.1	0.3
12	--	--	--	--	0.6	0.8	--	--	--	--	0.3	0.6
13	--	--	--	--	1.3	1.7	--	--	--	--	0.4	0.4
14	--	--	--	--	2.6	3.0	--	--	--	--	1.0	1.1
15	--	--	--	--	--	3.8	--	--	--	--	--	1.9
16	--	--	--	--	--	0.0	--	--	--	--	--	0.0
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
<b>Grade</b>												
6th	--	--	--	--	0.6	0.7	--	--	--	--	0.3	0.5
7th	--	--	--	--	1.5	1.5	--	--	--	--	0.6	0.7
8th	--	--	--	--	2.7	3.0	--	--	--	--	0.9	1.0
9th	--	--	--	--	--	--	--	--	--	--	--	--
10th	--	--	--	--	--	--	--	--	--	--	--	--
11th	--	--	--	--	--	--	--	--	--	--	--	--
12th	--	--	--	--	--	--	--	--	--	--	--	--
<b>Overall Middle School</b>	--	--	--	--	1.6	1.8	--	--	--	--	0.6	0.7
<b>Overall High School</b>	--	--	--	--	--	--	--	--	--	--	--	--
<b>Total</b>	--	--	--	--	--	--	--	--	--	--	--	--

**Table 18. Percentages of surveyed Florida youth who used LSD or PCP in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	LSD or PCP Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	--	3.1	2.0	1.9	2.3	1.8	--	0.6	0.5	0.6	0.7	0.4
Male	--	3.9	2.5	2.6	3.7	3.8	--	1.1	0.8	1.0	1.5	1.1
<b>Race/Ethnic group</b>												
African American	--	0.8	0.8	0.6	0.9	0.8	--	0.3	0.5	0.4	0.4	0.2
Hispanic/Latino	--	2.4	1.8	1.5	2.2	2.1	--	0.5	0.5	0.5	1.3	0.5
White, non-Hispanic	--	5.0	3.0	3.2	4.3	3.7	--	1.1	0.8	1.0	1.2	0.8
<b>Age</b>												
11	--	0.2	0.1	0.3	--	0.0	--	0.2	0.0	0.3	--	0.0
12	--	0.7	0.7	0.4	--	--	--	0.3	0.2	0.2	--	--
13	--	1.2	1.2	1.2	--	0.0	--	0.6	0.5	0.5	--	0.0
14	--	2.3	2.1	1.7	2.5	1.7	--	0.9	1.0	0.7	1.1	0.5
15	--	3.3	2.4	2.1	2.4	2.2	--	0.9	0.8	0.9	1.0	0.4
16	--	5.3	2.9	3.1	2.8	3.4	--	1.0	0.9	1.1	1.0	1.1
17	--	6.8	3.7	4.0	3.4	2.9	--	0.9	0.5	1.1	1.2	0.4
18	--	8.3	3.7	4.1	3.6	2.7	--	0.9	0.8	1.3	1.0	0.7
<b>Grade</b>												
6th	--	0.8	0.5	0.5	--	--	--	0.4	0.2	0.3	--	--
7th	--	1.3	1.4	1.4	--	--	--	0.7	0.7	0.6	--	--
8th	--	2.1	2.2	1.8	--	--	--	0.8	1.0	0.9	--	--
9th	--	3.3	2.1	2.1	2.7	2.3	--	0.9	0.7	0.9	1.2	0.7
10th	--	4.7	3.2	2.9	2.7	2.7	--	1.0	0.8	1.0	1.0	0.6
11th	--	6.4	2.8	3.2	3.0	3.2	--	0.8	0.6	0.9	1.0	0.8
12th	--	8.1	4.0	4.3	3.7	3.1	--	0.9	0.6	1.3	1.2	0.7
<b>Overall Middle School</b>	--	1.4	1.4	1.2	--	--	--	0.6	0.6	0.6	--	--
<b>Overall High School</b>	--	5.2	2.9	3.0	3.0	2.8	--	0.9	0.7	1.0	1.1	0.7
<b>Total</b>	--	<b>3.5</b>	<b>2.2</b>	<b>2.3</b>	--	--	--	<b>0.8</b>	<b>0.7</b>	<b>0.8</b>	--	--

**Table 19. Percentages of surveyed Florida youth who used hallucinogenic mushrooms in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Hallucinogenic Mushroom Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	--	3.7	3.5	3.6	3.9	4.0	--	0.8	0.8	0.9	0.9	0.7
Male	--	5.9	5.5	5.3	6.8	7.4	--	1.8	1.5	1.5	2.0	2.5
<b>Race/Ethnic group</b>												
African American	--	0.7	1.4	0.8	1.1	1.7	--	0.2	0.6	0.4	0.5	0.1
Hispanic/Latino	--	2.7	3.0	2.9	3.4	3.7	--	0.5	0.9	0.7	1.0	1.1
White, non-Hispanic	--	6.9	6.3	6.2	7.9	7.5	--	1.8	1.3	1.5	2.0	2.1
<b>Age</b>												
11	--	0.5	0.7	0.8	--	--	--	0.2	0.3	0.6	--	--
12	--	1.2	1.4	1.0	--	--	--	0.3	0.6	0.4	--	--
13	--	3.0	2.2	2.2	--	0.0	--	0.9	0.8	0.7	--	0.0
14	--	4.2	3.3	3.2	3.3	3.9	--	1.6	1.2	1.1	1.4	1.1
15	--	5.1	5.1	4.6	4.3	5.6	--	1.5	1.6	1.5	1.0	1.8
16	--	6.8	6.5	6.8	5.1	5.1	--	1.5	1.5	1.6	1.4	1.6
17	--	6.7	7.4	7.0	5.9	6.4	--	1.6	1.2	1.5	1.4	1.1
18	--	8.1	7.7	7.4	7.2	5.7	--	1.3	1.0	1.5	2.2	1.5
<b>Grade</b>												
6th	--	1.4	1.3	1.2	--	--	--	0.4	0.5	0.6	--	--
7th	--	2.9	2.6	2.5	--	--	--	1.0	1.2	0.9	--	--
8th	--	4.8	3.8	3.6	--	--	--	1.7	1.5	1.3	--	--
9th	--	4.6	4.3	4.4	4.5	5.4	--	1.2	1.3	1.5	1.5	1.9
10th	--	6.4	6.0	6.0	4.8	5.7	--	1.5	1.4	1.4	1.2	1.7
11th	--	6.6	6.9	6.0	5.7	6.0	--	1.4	1.1	1.0	1.5	1.2
12th	--	7.6	7.7	7.7	6.6	5.3	--	1.4	1.0	1.8	1.8	1.5
<b>Overall Middle School</b>	--	3.0	2.6	2.5	--	--	--	1.0	1.1	0.9	--	--
<b>Overall High School</b>	--	6.0	5.9	5.9	5.3	5.6	--	1.4	1.2	1.4	1.5	1.6
<b>Total</b>	--	<b>4.7</b>	<b>4.5</b>	<b>4.4</b>	--	--	--	<b>1.2</b>	<b>1.1</b>	<b>1.2</b>	--	--

**Table 20. Percentages of surveyed Florida youth who used LSD, PCP or hallucinogenic mushrooms in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	LSD, PCP or Hallucinogenic Mushroom Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	--	--	--	--	1.1	1.2	--	--	--	--	0.3	0.5
Male	--	--	--	--	1.9	2.7	--	--	--	--	0.8	1.0
<b>Race/Ethnic group</b>												
African American	--	--	--	--	0.8	0.6	--	--	--	--	0.4	0.4
Hispanic/Latino	--	--	--	--	1.2	1.9	--	--	--	--	0.4	0.6
White, non-Hispanic	--	--	--	--	1.9	2.4	--	--	--	--	0.6	0.9
<b>Age</b>												
11	--	--	--	--	0.2	0.3	--	--	--	--	0.0	0.1
12	--	--	--	--	0.5	0.6	--	--	--	--	0.2	0.3
13	--	--	--	--	1.6	1.7	--	--	--	--	0.5	0.6
14	--	--	--	--	2.3	3.6	--	--	--	--	0.9	1.2
15	--	--	--	--	--	4.2	--	--	--	--	--	2.6
16	--	--	--	--	--	10.8	--	--	--	--	--	5.3
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
<b>Grade</b>												
6th	--	--	--	--	0.6	1.0	--	--	--	--	0.2	0.3
7th	--	--	--	--	1.3	1.7	--	--	--	--	0.5	0.7
8th	--	--	--	--	2.6	3.1	--	--	--	--	1.0	1.3
9th	--	--	--	--	--	--	--	--	--	--	--	--
10th	--	--	--	--	--	--	--	--	--	--	--	--
11th	--	--	--	--	--	--	--	--	--	--	--	--
12th	--	--	--	--	--	--	--	--	--	--	--	--
<b>Overall Middle School</b>	--	--	--	--	1.5	2.0	--	--	--	--	0.6	0.8
<b>Overall High School</b>	--	--	--	--	--	--	--	--	--	--	--	--
<b>Total</b>	--	--	--	--	--	--	--	--	--	--	--	--

**Table 21. Percentages of surveyed Florida youth who used cocaine in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Cocaine Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	4.8	3.7	4.3	4.5	5.5	4.3	1.6	1.1	1.4	1.4	1.4	0.7
Male	6.2	4.2	4.5	4.7	5.6	5.4	2.4	1.3	1.6	1.7	1.7	1.5
<b>Race/Ethnic group</b>												
African American	1.6	1.0	0.8	0.8	1.1	1.4	1.0	0.3	0.4	0.4	0.5	0.4
Hispanic/Latino	6.9	3.3	5.3	4.8	5.3	5.3	2.0	0.8	1.7	1.6	1.9	0.7
White, non-Hispanic	6.9	5.5	5.6	6.1	7.3	5.9	2.4	1.6	2.0	2.0	1.9	1.3
<b>Age</b>												
11	0.3	0.4	0.8	0.6	--	0.0	0.3	0.1	0.5	0.2	--	100.0
12	1.1	1.1	1.4	0.9	--	--	0.5	0.3	0.4	0.4	--	--
13	2.3	2.2	2.0	2.1	--	0.0	1.0	0.7	0.6	0.6	--	0.0
14	4.1	3.0	3.2	3.0	3.1	2.8	1.4	1.0	1.2	1.0	1.0	0.7
15	5.7	4.0	4.7	4.3	4.2	3.7	1.9	1.1	1.5	1.4	1.4	0.8
16	7.8	5.6	6.7	7.4	4.9	4.7	2.4	1.6	2.4	2.3	1.3	1.3
17	11.5	7.1	8.1	7.7	7.3	5.5	3.9	2.0	2.4	2.8	1.9	1.2
18	9.6	7.6	7.0	9.2	7.0	7.1	4.0	2.1	2.4	3.2	1.9	1.0
<b>Grade</b>												
6th	1.3	1.1	1.3	1.0	--	--	0.7	0.3	0.4	0.4	--	--
7th	2.8	2.4	2.2	2.1	--	--	1.4	0.7	0.8	0.7	--	--
8th	4.4	3.2	3.6	3.5	--	--	1.7	1.1	1.2	1.1	--	--
9th	6.7	3.7	4.5	4.5	4.1	3.7	1.9	1.0	1.4	1.3	1.4	1.1
10th	7.8	5.1	6.2	6.2	4.6	4.2	2.9	1.4	2.2	2.0	1.3	1.0
11th	8.1	6.7	7.2	7.0	6.4	4.8	2.7	1.8	2.1	2.1	1.8	0.9
12th	8.7	7.5	7.3	8.9	7.4	7.2	3.0	2.5	2.8	3.6	1.9	1.4
<b>Overall Middle School</b>	2.8	2.2	2.3	2.2	--	--	1.3	0.7	0.8	0.8	--	--
<b>Overall High School</b>	7.6	5.4	6.0	6.4	5.5	4.8	2.5	1.5	2.0	2.1	1.6	1.1
<b>Total</b>	<b>5.5</b>	<b>3.9</b>	<b>4.4</b>	<b>4.6</b>	<b>--</b>	<b>--</b>	<b>2.0</b>	<b>1.2</b>	<b>1.5</b>	<b>1.6</b>	<b>--</b>	<b>--</b>

**Table 22. Percentages of surveyed Florida youth who used crack cocaine in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Crack Cocaine Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	2.4	1.8	2.2	2.2	1.8	1.4	0.8	0.4	0.5	0.6	0.4	0.4
Male	2.6	1.9	1.9	1.8	1.7	1.6	0.9	0.6	0.8	0.6	0.6	0.4
<b>Race/Ethnic group</b>												
African American	1.0	0.6	0.6	0.8	0.5	0.8	0.7	0.2	0.3	0.3	0.4	0.3
Hispanic/Latino	3.1	1.8	2.7	2.5	2.1	1.3	1.0	0.4	0.8	0.8	0.8	0.3
White, non-Hispanic	2.7	2.1	2.1	2.2	2.0	1.8	0.8	0.5	0.6	0.7	0.5	0.4
<b>Age</b>												
11	0.3	0.6	0.9	0.6	--	--	0.0	0.1	0.6	0.2	--	--
12	1.1	1.1	1.3	0.9	--	--	0.3	0.3	0.5	0.3	--	--
13	1.9	1.7	1.9	1.6	--	0.0	0.8	0.6	0.6	0.5	--	0.0
14	2.7	2.3	2.2	2.0	2.1	1.3	1.0	0.6	0.6	0.7	0.9	0.4
15	3.0	2.0	2.7	2.2	1.5	1.8	1.1	0.4	0.7	0.7	0.4	0.4
16	3.2	2.1	2.3	2.9	1.9	2.2	0.9	0.5	0.7	0.9	0.6	0.8
17	3.6	1.9	1.9	2.2	1.7	0.8	0.9	0.5	0.7	0.6	0.4	0.1
18	2.3	1.2	1.7	2.1	1.6	1.3	0.5	0.1	0.3	0.5	0.6	0.0
<b>Grade</b>												
6th	1.2	1.1	1.3	0.9	--	--	0.4	0.3	0.5	0.3	--	--
7th	2.5	1.8	2.1	1.7	--	--	1.1	0.6	0.9	0.6	--	--
8th	2.4	2.6	2.7	2.2	--	--	0.9	0.8	0.6	0.8	--	--
9th	3.6	1.8	2.4	2.5	2.0	2.2	1.1	0.4	0.8	0.8	0.7	0.6
10th	2.7	2.1	2.3	2.2	1.7	1.9	0.8	0.4	0.5	0.7	0.3	0.7
11th	2.7	1.6	1.8	2.1	1.7	0.9	0.5	0.4	0.6	0.4	0.7	0.2
12th	1.8	1.3	1.5	2.2	1.6	0.9	0.8	0.4	0.4	0.7	0.4	0.0
<b>Overall Middle School</b>	2.0	1.8	2.0	1.6	--	--	0.8	0.5	0.7	0.6	--	--
<b>Overall High School</b>	2.9	1.8	2.1	2.3	1.8	1.5	0.8	0.4	0.6	0.7	0.5	0.4
<b>Total</b>	<b>2.5</b>	<b>1.8</b>	<b>2.1</b>	<b>2.0</b>	<b>--</b>	<b>--</b>	<b>0.8</b>	<b>0.5</b>	<b>0.6</b>	<b>0.6</b>	<b>--</b>	<b>--</b>

**Table 23. Percentages of surveyed Florida youth who used cocaine or crack cocaine in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Cocaine or Crack Cocaine Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	--	--	--	--	1.7	1.9	--	--	--	--	0.5	0.7
Male	--	--	--	--	1.9	1.7	--	--	--	--	0.7	0.6
<b>Race/Ethnic group</b>												
African American	--	--	--	--	1.1	1.2	--	--	--	--	0.6	0.3
Hispanic/Latino	--	--	--	--	2.6	1.7	--	--	--	--	0.8	0.6
White, non-Hispanic	--	--	--	--	1.7	1.7	--	--	--	--	0.5	0.8
<b>Age</b>												
11	--	--	--	--	0.3	0.5	--	--	--	--	0.0	0.1
12	--	--	--	--	1.0	0.8	--	--	--	--	0.3	0.4
13	--	--	--	--	2.0	1.6	--	--	--	--	0.6	0.6
14	--	--	--	--	2.5	2.8	--	--	--	--	0.8	1.0
15	--	--	--	--	--	4.9	--	--	--	--	--	2.5
16	--	--	--	--	--	0.0	--	--	--	--	--	0.0
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
<b>Grade</b>												
6th	--	--	--	--	1.0	0.9	--	--	--	--	0.3	0.2
7th	--	--	--	--	1.8	1.5	--	--	--	--	0.6	0.8
8th	--	--	--	--	2.7	2.9	--	--	--	--	0.9	1.0
9th	--	--	--	--	--	--	--	--	--	--	--	--
10th	--	--	--	--	--	--	--	--	--	--	--	--
11th	--	--	--	--	--	--	--	--	--	--	--	--
12th	--	--	--	--	--	--	--	--	--	--	--	--
<b>Overall Middle School</b>	--	--	--	--	1.8	1.8	--	--	--	--	0.6	0.7
<b>Overall High School</b>	--	--	--	--	--	--	--	--	--	--	--	--
<b>Total</b>	--	--	--	--	--	--	--	--	--	--	--	--



**Table 24. Percentages of surveyed Florida youth who used methamphetamine in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Methamphetamine Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	3.5	2.6	2.7	2.0	1.3	1.1	1.3	0.7	0.9	0.6	0.4	0.5
Male	4.4	2.9	2.4	2.1	1.4	1.2	2.0	1.2	0.9	0.7	0.6	0.5
<b>Race/Ethnic group</b>												
African American	0.9	1.3	1.5	0.8	0.9	1.3	0.7	0.5	0.9	0.4	0.6	0.8
Hispanic/Latino	3.4	1.9	2.5	1.9	1.6	1.2	1.4	0.7	1.0	0.7	0.6	0.3
White, non-Hispanic	5.5	3.4	2.7	2.5	1.4	0.9	2.2	1.0	0.7	0.7	0.4	0.4
<b>Age</b>												
11	0.4	1.2	0.7	0.9	0.5	0.8	0.1	0.8	0.2	0.5	0.4	0.5
12	0.6	1.7	1.6	1.0	0.8	0.5	0.3	0.8	0.8	0.5	0.5	0.2
13	1.6	2.0	2.3	2.2	1.2	1.7	0.7	0.9	1.1	0.9	0.5	0.7
14	2.7	2.6	2.8	2.1	1.6	1.5	1.2	0.9	1.0	0.9	0.7	0.7
15	4.2	3.3	2.9	2.0	1.3	1.8	1.6	0.9	0.9	0.5	0.4	1.0
16	5.9	2.9	2.7	2.6	1.6	1.5	2.5	0.8	0.7	0.5	0.6	0.6
17	7.5	3.4	3.2	2.3	1.6	0.5	2.3	0.8	0.8	0.6	0.5	0.0
18	7.6	3.6	2.7	2.1	1.7	0.7	3.5	1.0	0.7	0.5	0.6	0.2
<b>Grade</b>												
6th	1.0	2.0	1.2	1.3	0.8	0.9	0.6	1.1	0.7	0.7	0.5	0.4
7th	1.4	1.8	2.8	2.1	1.2	1.8	0.9	0.9	1.5	1.0	0.6	0.9
8th	2.7	3.1	3.0	2.5	1.4	1.2	0.9	1.0	0.9	0.9	0.6	0.5
9th	4.9	2.7	2.7	2.2	1.7	2.0	1.9	0.8	0.8	0.6	0.5	1.0
10th	5.5	3.2	3.0	2.2	1.6	1.0	1.9	0.8	0.8	0.5	0.4	0.2
11th	6.1	3.0	2.7	1.8	1.3	0.8	2.6	0.7	0.6	0.3	0.5	0.3
12th	7.3	3.5	2.5	2.4	1.4	0.5	3.0	0.9	0.6	0.7	0.5	0.1
<b>Overall Middle School</b>	1.7	2.3	2.4	2.0	1.2	1.3	0.8	1.0	1.0	0.9	0.6	0.6
<b>Overall High School</b>	5.7	3.0	2.7	2.1	1.5	1.1	2.3	0.8	0.7	0.5	0.5	0.4
<b>Total</b>	<b>3.9</b>	<b>2.7</b>	<b>2.6</b>	<b>2.1</b>	<b>1.4</b>	<b>1.2</b>	<b>1.6</b>	<b>0.9</b>	<b>0.9</b>	<b>0.7</b>	<b>0.5</b>	<b>0.5</b>

**Table 25. Percentages of surveyed Florida youth who used depressants in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Depressant Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	4.7	7.2	8.1	7.4	6.5	6.6	1.5	2.8	3.2	2.8	2.4	2.5
Male	5.2	6.6	6.0	5.7	5.4	5.8	1.9	3.0	2.2	2.1	2.0	2.5
<b>Race/Ethnic group</b>												
African American	0.4	0.8	1.1	0.9	1.4	1.4	0.2	0.3	0.4	0.4	0.6	0.6
Hispanic/Latino	4.6	4.6	5.3	4.4	4.0	4.3	1.3	1.4	1.8	1.5	1.1	1.4
White, non-Hispanic	7.1	10.9	10.8	9.6	9.3	9.0	2.6	4.6	4.2	3.6	3.4	3.7
<b>Age</b>												
11	0.6	0.6	0.4	0.9	0.6	1.4	0.1	0.1	0.2	0.3	0.2	0.5
12	0.7	1.3	1.4	1.2	1.3	1.0	0.3	0.4	0.6	0.3	0.4	0.5
13	1.8	3.1	2.7	2.7	2.2	2.0	0.5	1.3	1.0	1.3	0.9	0.8
14	3.4	5.4	5.0	4.9	4.2	4.9	1.2	2.2	2.0	1.7	1.8	2.4
15	5.3	8.2	8.9	6.9	6.8	7.5	1.9	3.7	3.6	3.0	2.3	3.4
16	7.8	10.2	10.8	9.7	8.4	8.8	2.9	4.2	4.5	3.7	3.2	3.9
17	10.0	13.2	12.5	11.2	10.6	10.6	3.0	5.4	4.4	4.0	3.4	3.6
18	8.4	11.9	13.4	11.8	11.3	11.2	3.2	4.5	4.4	4.3	4.0	3.4
<b>Grade</b>												
6th	0.7	1.4	1.1	1.1	1.2	1.5	0.2	0.4	0.5	0.3	0.4	0.4
7th	1.7	2.9	2.9	2.6	2.0	1.8	0.5	1.1	1.0	1.2	0.8	0.8
8th	3.6	5.1	5.0	4.9	4.1	4.9	1.4	2.2	2.1	2.1	1.8	2.5
9th	5.9	7.4	8.0	6.7	6.3	7.0	2.3	3.2	3.3	2.7	2.3	3.4
10th	7.5	10.3	10.4	9.0	8.2	8.5	2.1	4.5	4.4	3.4	3.0	3.0
11th	7.9	12.6	12.2	10.1	10.1	9.4	2.8	5.1	4.2	3.5	3.1	3.6
12th	9.2	12.7	12.7	12.0	11.0	11.3	3.7	5.0	4.3	4.3	3.1	3.9
<b>Overall Middle School</b>	2.0	3.1	3.0	2.9	2.4	2.7	0.7	1.2	1.2	1.2	1.0	1.3
<b>Overall High School</b>	7.4	10.2	10.4	9.1	8.7	8.9	2.6	4.2	3.9	3.4	3.0	3.5
<b>Total</b>	<b>4.9</b>	<b>7.0</b>	<b>7.1</b>	<b>6.5</b>	<b>6.0</b>	<b>6.2</b>	<b>1.7</b>	<b>2.9</b>	<b>2.8</b>	<b>2.5</b>	<b>2.1</b>	<b>2.5</b>

**Table 26. Percentages of surveyed Florida youth who used heroin in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Heroin Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	2.2	1.0	1.0	1.1	0.8	0.8	0.7	0.2	0.3	0.3	0.2	0.3
Male	2.2	1.5	1.1	1.0	1.1	0.9	0.9	0.5	0.4	0.5	0.5	0.2
<b>Race/Ethnic group</b>												
African American	0.7	0.7	0.5	0.5	0.3	0.7	0.3	0.3	0.3	0.3	0.3	0.2
Hispanic/Latino	2.1	1.0	1.3	1.0	1.0	0.6	1.0	0.2	0.4	0.4	0.3	0.2
White, non-Hispanic	2.8	1.3	1.0	1.2	1.2	0.9	1.0	0.4	0.3	0.4	0.3	0.2
<b>Age</b>												
11	0.2	0.5	0.5	0.3	0.2	0.0	0.0	0.1	0.3	0.2	0.1	0.0
12	0.6	0.6	0.6	0.4	0.5	0.2	0.3	0.2	0.2	0.2	0.2	0.1
13	1.2	0.9	1.2	1.1	1.0	1.0	0.7	0.3	0.3	0.3	0.5	0.4
14	1.8	1.4	1.4	1.1	1.0	1.3	0.7	0.5	0.5	0.3	0.4	0.4
15	2.4	1.3	1.0	1.1	1.1	0.9	1.1	0.3	0.3	0.5	0.3	0.2
16	2.9	1.3	1.1	1.5	1.1	1.3	0.8	0.6	0.3	0.6	0.4	0.4
17	3.7	1.6	1.1	1.2	1.0	0.9	0.9	0.6	0.3	0.3	0.2	0.0
18	4.5	1.3	0.6	1.0	0.9	0.7	0.9	0.2	0.3	0.4	0.3	0.1
<b>Grade</b>												
6th	0.8	0.8	0.5	0.5	0.5	0.3	0.6	0.2	0.2	0.2	0.3	0.1
7th	1.4	0.8	1.4	1.0	0.9	0.7	0.6	0.2	0.4	0.3	0.4	0.2
8th	2.0	1.5	1.4	1.3	1.1	1.4	0.7	0.5	0.4	0.5	0.4	0.5
9th	2.4	1.2	1.0	1.2	1.3	1.2	0.8	0.3	0.4	0.6	0.5	0.4
10th	2.5	1.3	1.1	1.2	1.0	1.0	0.8	0.6	0.4	0.5	0.2	0.3
11th	3.9	1.3	0.8	1.1	0.7	1.2	1.0	0.4	0.1	0.3	0.3	0.2
12th	3.1	1.5	0.9	1.1	0.9	0.2	1.2	0.4	0.3	0.4	0.2	0.0
<b>Overall Middle School</b>	1.4	1.0	1.1	0.9	0.8	0.8	0.6	0.3	0.4	0.3	0.4	0.3
<b>Overall High School</b>	2.9	1.3	1.0	1.2	1.0	0.9	0.9	0.4	0.3	0.4	0.3	0.2
<b>Total</b>	<b>2.2</b>	<b>1.2</b>	<b>1.0</b>	<b>1.1</b>	<b>0.9</b>	<b>0.9</b>	<b>0.8</b>	<b>0.4</b>	<b>0.3</b>	<b>0.4</b>	<b>0.3</b>	<b>0.3</b>

**Table 27. Percentages of surveyed Florida youth who used prescription pain relievers in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Prescription Pain Reliever Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	--	8.4	9.4	9.1	8.3	8.1	--	3.6	3.6	3.5	3.2	3.2
Male	--	7.5	7.5	7.4	7.6	7.1	--	3.4	3.0	2.9	3.2	2.7
<b>Race/Ethnic group</b>												
African American	--	2.5	3.0	2.5	3.4	3.1	--	1.3	1.4	1.2	1.9	1.8
Hispanic/Latino	--	4.8	5.8	5.3	5.3	5.2	--	1.9	2.4	2.1	2.3	1.8
White, non-Hispanic	--	12.0	12.3	11.7	11.4	10.5	--	4.9	4.5	4.3	4.2	3.8
<b>Age</b>												
11	--	1.9	2.3	1.6	1.9	2.8	--	1.0	1.0	0.4	0.6	1.0
12	--	2.9	3.4	2.8	3.0	3.0	--	1.3	1.5	1.1	1.7	1.8
13	--	5.4	5.1	4.7	4.9	3.8	--	2.6	2.0	2.0	2.1	1.7
14	--	7.0	6.3	6.8	6.9	7.5	--	3.2	2.8	3.0	3.2	3.7
15	--	8.7	9.8	8.9	8.9	9.0	--	3.9	4.2	3.4	3.6	3.6
16	--	10.9	12.3	11.3	10.3	10.4	--	5.0	4.8	4.5	4.0	3.8
17	--	12.8	12.7	12.5	12.0	10.8	--	4.9	4.8	4.6	3.9	2.6
18	--	13.1	14.0	14.0	12.7	10.5	--	4.7	3.8	4.6	5.0	4.5
<b>Grade</b>												
6th	--	2.9	3.2	2.8	2.8	3.0	--	1.5	1.5	1.2	1.5	1.4
7th	--	4.6	4.9	4.5	4.7	4.0	--	2.3	1.9	2.0	2.2	2.4
8th	--	7.5	7.2	6.8	7.3	7.0	--	3.4	3.2	3.1	3.1	3.2
9th	--	8.2	8.5	8.2	8.2	9.2	--	3.8	3.8	3.2	3.7	3.6
10th	--	10.4	11.5	10.9	10.0	9.8	--	4.4	4.3	4.3	3.6	4.0
11th	--	12.6	12.8	11.9	11.7	10.0	--	4.8	4.8	4.2	3.9	2.5
12th	--	13.1	13.4	13.3	12.1	10.9	--	4.9	4.2	4.4	4.5	3.9
<b>Overall Middle School</b>	--	5.0	5.1	4.8	4.9	4.7	--	2.4	2.2	2.1	2.3	2.3
<b>Overall High School</b>	--	10.6	11.1	10.8	10.4	9.9	--	4.4	4.2	4.0	3.9	3.5
<b>Total</b>	--	<b>8.0</b>	<b>8.5</b>	<b>8.3</b>	<b>8.0</b>	<b>7.6</b>	--	<b>3.5</b>	<b>3.3</b>	<b>3.2</b>	<b>3.2</b>	<b>3.0</b>

Note: The results from 2002 and 2004 represent the combination of two different survey items covering the use of OxyContin® and “Other Prescription Pain Relievers.” These were combined into a single survey item on the 2006 and 2008 surveys.

**Table 28. Percentages of surveyed Florida youth who used over-the-counter drugs in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Over-the-Counter Drug Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	--	--	--	--	5.9	5.7	--	--	--	--	2.6	3.1
Male	--	--	--	--	3.9	3.8	--	--	--	--	1.8	1.7
<b>Race/Ethnic group</b>												
African American	--	--	--	--	4.7	4.2	--	--	--	--	2.7	2.3
Hispanic/Latino	--	--	--	--	4.8	4.1	--	--	--	--	2.1	1.9
White, non-Hispanic	--	--	--	--	4.8	4.6	--	--	--	--	2.2	2.2
<b>Age</b>												
11	--	--	--	--	2.1	2.6	--	--	--	--	0.8	1.1
12	--	--	--	--	2.8	2.5	--	--	--	--	1.5	1.4
13	--	--	--	--	5.0	5.1	--	--	--	--	2.1	2.7
14	--	--	--	--	7.0	6.5	--	--	--	--	3.1	2.8
15	--	--	--	--	--	7.7	--	--	--	--	--	5.6
16	--	--	--	--	--	8.7	--	--	--	--	--	3.1
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
<b>Grade</b>												
6th	--	--	--	--	3.2	3.0	--	--	--	--	1.6	1.8
7th	--	--	--	--	4.4	4.2	--	--	--	--	1.9	1.9
8th	--	--	--	--	7.2	6.8	--	--	--	--	3.3	3.4
9th	--	--	--	--	--	--	--	--	--	--	--	--
10th	--	--	--	--	--	--	--	--	--	--	--	--
11th	--	--	--	--	--	--	--	--	--	--	--	--
12th	--	--	--	--	--	--	--	--	--	--	--	--
<b>Overall Middle School</b>	--	--	--	--	4.9	4.7	--	--	--	--	2.2	2.4
<b>Overall High School</b>	--	--	--	--	--	--	--	--	--	--	--	--
<b>Total</b>	--	--	--	--	--	--	--	--	--	--	--	--

**Table 29. Percentages of surveyed Florida youth who used steroids without a doctor's order in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Steroid Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	1.4	0.9	1.0	0.6	0.6	0.6	0.5	0.3	0.4	0.3	0.2	0.2
Male	3.4	2.0	1.8	1.5	1.4	1.3	1.4	0.8	0.7	0.8	0.7	0.7
<b>Race/Ethnic group</b>												
African American	1.1	1.1	0.9	0.6	0.8	1.1	0.4	0.6	0.5	0.4	0.4	0.6
Hispanic/Latino	2.0	0.9	1.5	0.8	0.8	0.4	1.1	0.3	0.7	0.5	0.3	0.1
White, non-Hispanic	2.9	1.7	1.4	1.3	1.2	0.9	1.1	0.6	0.5	0.5	0.5	0.3
<b>Age</b>												
11	0.6	1.0	0.6	0.9	0.2	0.3	0.2	0.6	0.3	0.5	0.1	0.0
12	2.4	1.1	1.2	0.7	0.7	0.6	0.7	0.4	0.3	0.3	0.3	0.1
13	1.9	1.3	1.6	1.3	0.8	0.5	1.0	0.6	0.5	0.6	0.3	0.1
14	2.4	1.9	1.1	0.7	0.9	1.1	1.1	0.7	0.6	0.3	0.3	0.5
15	2.7	1.3	1.3	1.0	1.1	1.2	1.1	0.6	0.5	0.4	0.5	0.6
16	2.9	1.6	1.2	1.5	1.1	1.6	1.3	0.5	0.5	0.8	0.5	0.5
17	2.6	1.2	1.7	1.0	1.3	0.5	1.0	0.5	0.5	0.7	0.5	0.4
18	1.8	1.7	1.6	1.1	1.4	1.0	0.9	0.6	0.9	0.6	0.8	0.6
<b>Grade</b>												
6th	1.8	1.1	1.2	0.9	0.8	0.7	0.8	0.5	0.3	0.4	0.4	0.2
7th	2.5	1.5	1.6	1.2	0.7	0.6	0.8	0.6	0.8	0.5	0.2	0.1
8th	2.8	1.8	1.3	1.1	0.9	0.9	1.2	0.6	0.6	0.5	0.4	0.3
9th	3.2	1.3	1.1	0.9	1.1	1.6	1.5	0.6	0.3	0.4	0.5	1.0
10th	2.1	1.6	1.3	1.3	1.1	1.1	0.9	0.6	0.5	0.7	0.4	0.3
11th	1.7	1.1	1.5	0.9	1.3	1.1	0.6	0.6	0.5	0.6	0.6	0.7
12th	2.0	1.6	1.5	1.3	1.3	0.8	0.6	0.5	0.7	0.6	0.7	0.3
<b>Overall Middle School</b>	2.4	1.5	1.4	1.1	0.8	0.7	1.0	0.6	0.6	0.5	0.3	0.2
<b>Overall High School</b>	2.4	1.4	1.3	1.1	1.2	1.2	1.0	0.6	0.5	0.6	0.5	0.6
<b>Total</b>	<b>2.4</b>	<b>1.4</b>	<b>1.3</b>	<b>1.1</b>	<b>1.0</b>	<b>1.0</b>	<b>1.0</b>	<b>0.6</b>	<b>0.5</b>	<b>0.5</b>	<b>0.4</b>	<b>0.4</b>

**Table 30. Percentages of surveyed Florida youth who used prescription amphetamines in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Prescription Amphetamine Use											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	--	3.9	4.1	4.7	3.8	3.6	--	1.3	1.3	1.5	1.0	1.1
Male	--	4.5	3.7	4.0	3.5	3.6	--	1.5	1.3	1.3	1.3	1.1
<b>Race/Ethnic group</b>												
African American	--	1.0	0.9	1.4	1.1	0.8	--	0.6	0.4	0.5	0.6	0.4
Hispanic/Latino	--	2.2	2.2	1.9	2.1	1.9	--	0.8	0.7	0.7	0.6	0.6
White, non-Hispanic	--	6.4	6.0	6.5	5.8	5.3	--	2.0	1.8	2.1	1.7	1.3
<b>Age</b>												
11	--	0.6	0.5	0.4	0.5	0.7	--	0.2	0.2	0.1	0.2	0.0
12	--	1.0	1.2	1.1	0.9	0.5	--	0.5	0.4	0.6	0.4	0.1
13	--	2.5	2.2	2.2	1.6	1.7	--	1.2	0.8	0.9	0.6	0.7
14	--	4.0	3.3	3.4	2.6	3.4	--	1.8	1.5	1.2	1.1	1.0
15	--	5.0	4.3	4.7	4.1	4.0	--	1.8	1.4	1.7	1.3	1.4
16	--	6.0	6.2	6.8	4.7	6.0	--	1.7	2.1	2.1	1.5	1.5
17	--	6.5	6.1	6.9	6.3	4.6	--	1.7	1.6	2.1	1.5	1.3
18	--	5.5	6.0	6.6	7.5	6.4	--	1.2	1.3	1.5	2.2	1.7
<b>Grade</b>												
6th	--	1.2	1.1	1.2	1.0	0.6	--	0.4	0.5	0.6	0.5	0.1
7th	--	2.4	2.0	1.9	1.4	1.6	--	1.1	0.8	0.8	0.5	0.8
8th	--	3.7	3.3	3.5	2.4	2.7	--	1.6	1.4	1.5	0.8	0.8
9th	--	5.0	4.3	4.5	4.0	4.5	--	2.0	1.5	1.4	1.5	1.6
10th	--	5.4	5.8	6.4	4.6	5.6	--	1.5	1.8	2.0	1.2	1.4
11th	--	6.4	5.6	6.5	5.9	4.6	--	1.5	1.6	1.9	1.6	1.3
12th	--	6.0	6.2	6.8	7.0	6.1	--	1.5	1.4	1.7	1.9	1.5
<b>Overall Middle School</b>	--	2.4	2.2	2.2	1.6	1.7	--	1.1	0.9	1.0	0.6	0.6
<b>Overall High School</b>	--	5.6	5.3	5.9	5.3	5.2	--	1.7	1.6	1.7	1.6	1.4
<b>Total</b>	--	<b>4.1</b>	<b>3.9</b>	<b>4.4</b>	<b>3.7</b>	<b>3.6</b>	--	<b>1.4</b>	<b>1.3</b>	<b>1.4</b>	<b>1.2</b>	<b>1.1</b>

**Table 31. Percentages of surveyed Florida youth who used *any illicit drug* in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Any Illicit Drug											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	--	31.6	34.1	32.5	30.7	31.0	--	16.0	17.5	15.6	15.2	16.4
Male	--	34.6	33.9	32.0	30.1	31.6	--	18.6	17.6	16.9	16.3	17.5
<b>Race/Ethnic group</b>												
African American	--	23.4	25.9	24.1	23.5	25.1	--	11.3	12.6	11.6	11.9	11.9
Hispanic/Latino	--	29.3	31.6	29.2	28.2	29.5	--	14.6	15.9	13.6	14.3	14.6
White, non-Hispanic	--	38.8	39.1	37.0	34.7	34.2	--	20.8	20.6	19.5	18.4	19.6
<b>Age</b>												
11	--	13.7	16.7	13.5	11.9	12.1	--	6.4	8.3	6.1	5.7	5.1
12	--	17.9	18.9	17.3	15.3	15.9	--	8.5	9.6	7.7	6.9	6.7
13	--	24.9	25.6	22.3	21.5	22.9	--	12.9	13.5	11.0	10.3	11.4
14	--	31.2	31.4	28.1	27.2	29.7	--	16.7	16.1	14.4	13.8	16.0
15	--	36.6	36.9	34.7	32.6	35.0	--	18.9	19.7	17.6	17.3	21.0
16	--	41.5	43.7	41.2	37.9	37.9	--	21.7	22.4	21.2	20.3	20.4
17	--	45.1	44.5	43.4	42.3	42.0	--	23.9	22.5	22.4	21.9	23.2
18	--	46.1	47.2	47.7	44.2	42.5	--	23.9	22.8	24.1	24.6	24.8
<b>Grade</b>												
6th	--	17.8	18.5	16.9	15.2	15.5	--	8.9	9.7	7.9	7.6	6.6
7th	--	23.9	26.0	22.6	20.4	22.0	--	12.6	14.4	11.4	10.3	11.5
8th	--	32.2	31.7	27.8	28.1	29.1	--	16.8	16.2	14.5	13.9	15.7
9th	--	35.6	35.2	32.9	31.0	35.6	--	18.3	18.5	17.1	16.3	19.9
10th	--	39.0	41.2	39.1	36.7	36.0	--	20.5	21.0	19.5	19.3	19.5
11th	--	44.5	44.6	42.2	41.2	40.3	--	23.2	22.1	21.3	21.2	21.6
12th	--	45.2	45.6	46.9	43.2	42.0	--	23.9	22.6	23.8	23.7	25.1
<b>Overall Middle School</b>	--	24.6	25.4	22.6	21.2	22.3	--	12.7	13.5	11.4	10.6	11.3
<b>Overall High School</b>	--	40.1	40.8	39.4	37.5	38.2	--	20.9	20.7	20.0	19.9	21.3
<b>Total</b>	--	<b>33.0</b>	<b>33.9</b>	<b>32.2</b>	<b>30.4</b>	<b>31.2</b>	--	<b>17.2</b>	<b>17.5</b>	<b>16.3</b>	<b>15.8</b>	<b>17.0</b>

Note: Trend data begin in 2002 because several of the survey's illicit drug measures were not included on the 2000 questionnaire.



**Table 32. Percentages of surveyed Florida youth who used *any illicit drug other than marijuana* in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Any Illicit Drug Other Than Marijuana											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	--	22.7	24.7	23.0	21.7	21.2	--	9.8	11.1	9.9	9.1	9.3
Male	--	22.9	22.5	21.2	19.6	19.5	--	10.5	9.9	9.4	8.7	8.1
<b>Race/Ethnic group</b>												
African American	--	12.3	13.3	11.7	13.1	12.6	--	6.1	6.6	5.4	6.5	5.6
Hispanic/Latino	--	21.0	23.0	20.2	18.8	19.0	--	8.8	10.1	8.3	8.0	6.8
White, non-Hispanic	--	27.3	28.1	26.5	24.6	23.4	--	12.0	12.3	11.5	10.1	10.0
<b>Age</b>												
11	--	13.2	16.0	13.1	11.5	11.9	--	6.2	7.8	5.8	5.4	4.9
12	--	16.2	17.6	16.2	14.3	14.5	--	7.7	8.9	7.1	6.5	6.3
13	--	20.4	22.2	18.9	18.3	18.3	--	9.7	11.4	8.9	7.8	8.4
14	--	22.9	23.5	21.3	20.4	21.1	--	10.7	10.9	9.8	9.1	9.8
15	--	24.3	24.8	23.0	21.5	22.8	--	10.5	10.7	9.6	9.1	11.0
16	--	24.7	27.2	26.0	22.9	21.7	--	10.2	11.7	10.8	9.3	8.1
17	--	27.6	26.5	25.8	24.8	22.1	--	11.7	10.3	10.9	10.0	7.7
18	--	27.9	26.7	27.3	26.1	25.1	--	11.5	9.7	11.7	12.0	10.2
<b>Grade</b>												
6th	--	16.0	17.2	15.4	14.1	13.7	--	7.9	9.0	7.1	6.9	5.7
7th	--	19.9	22.6	19.4	17.2	18.1	--	9.8	12.1	9.4	7.9	8.8
8th	--	24.1	24.7	21.3	21.4	20.7	--	11.1	11.5	9.9	9.1	9.8
9th	--	23.1	23.7	22.7	21.0	22.8	--	9.9	10.3	9.6	9.0	10.4
10th	--	24.3	26.3	24.8	22.6	22.1	--	10.2	10.8	10.3	9.0	8.1
11th	--	26.2	26.4	25.0	24.0	21.7	--	10.8	10.3	10.1	9.5	8.0
12th	--	28.3	26.0	27.2	25.4	23.3	--	12.0	9.9	11.3	11.4	9.9
<b>Overall Middle School</b>	--	20.0	21.5	18.8	17.5	17.5	--	9.6	10.9	8.9	8.0	8.2
<b>Overall High School</b>	--	25.0	25.4	24.7	23.1	22.4	--	10.6	10.3	10.2	9.7	9.1
<b>Total</b>	--	<b>22.7</b>	<b>23.7</b>	<b>22.1</b>	<b>20.7</b>	<b>20.3</b>	--	<b>10.1</b>	<b>10.6</b>	<b>9.7</b>	<b>8.9</b>	<b>8.7</b>

Note: Trend data begin in 2002 because several of the survey's illicit drug measures were not included on the 2000 questionnaire.

**Table 33. Percentages of surveyed Florida youth who used *alcohol only* in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Alcohol Only											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	--	29.5	29.0	29.4	28.0	27.9	--	20.0	20.5	21.6	19.7	18.0
Male	--	26.2	27.3	26.9	25.9	25.7	--	18.2	19.4	18.7	17.4	17.0
<b>Race/Ethnic group</b>												
African American	--	25.5	26.2	25.7	25.3	23.7	--	14.3	14.5	13.4	14.0	14.0
Hispanic/Latino	--	32.4	32.8	31.8	31.2	32.2	--	22.2	22.5	22.6	21.3	21.0
White, non-Hispanic	--	28.0	27.6	27.7	26.3	26.1	--	20.8	21.9	22.3	20.0	18.2
<b>Age</b>												
11	--	17.0	14.9	12.4	12.8	12.8	--	6.1	7.6	4.8	5.0	4.9
12	--	20.9	21.0	18.4	17.8	17.1	--	9.3	8.1	8.0	7.7	7.4
13	--	24.6	25.1	24.6	21.6	20.1	--	13.1	14.0	13.4	12.1	11.0
14	--	30.0	29.7	28.5	27.2	28.9	--	18.1	19.0	18.5	16.8	16.2
15	--	31.3	32.2	32.0	30.7	30.6	--	21.6	22.5	22.9	20.7	20.8
16	--	30.5	30.4	32.2	32.2	32.7	--	24.6	24.3	25.4	23.5	21.6
17	--	31.4	31.4	32.7	31.0	28.9	--	26.4	27.8	27.7	26.6	24.1
18	--	30.8	31.5	30.3	31.4	34.1	--	29.6	33.7	32.3	27.7	26.0
<b>Grade</b>												
6th	--	19.2	18.3	15.8	15.6	15.0	--	8.0	7.6	7.4	7.3	6.7
7th	--	24.0	23.4	22.8	21.9	20.2	--	12.7	12.8	11.4	11.5	10.3
8th	--	27.7	28.5	28.5	25.0	27.3	--	17.6	18.0	18.2	15.4	15.7
9th	--	30.9	32.9	31.3	30.4	30.6	--	21.4	22.4	22.0	20.0	20.4
10th	--	32.3	30.7	32.8	32.3	31.5	--	22.9	23.8	25.3	23.5	21.7
11th	--	31.2	31.8	33.4	31.4	31.6	--	26.0	27.2	26.7	25.6	23.1
12th	--	32.1	32.7	31.4	32.8	33.1	--	30.5	32.1	31.8	28.2	26.2
<b>Overall Middle School</b>	--	23.6	23.5	22.6	20.8	20.9	--	12.7	12.9	12.5	11.4	11.0
<b>Overall High School</b>	--	31.5	32.1	32.2	31.7	31.6	--	24.4	25.7	25.9	24.0	22.7
<b>Total</b>	--	<b>27.9</b>	<b>28.2</b>	<b>28.1</b>	<b>26.9</b>	<b>26.9</b>	--	<b>19.1</b>	<b>20.0</b>	<b>20.2</b>	<b>18.5</b>	<b>17.6</b>

Note: Trend data begin in 2002 because several of the survey's illicit drug measures were not included on the 2000 questionnaire.

**Table 34. Percentages of surveyed Florida youth who used *alcohol or any illicit drug* in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Alcohol Or Any Illicit Drug											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	--	60.8	62.9	61.7	58.5	58.6	--	35.5	37.7	36.9	34.6	34.0
Male	--	60.3	60.9	58.5	55.7	57.0	--	36.2	36.5	35.1	33.2	34.2
<b>Race/Ethnic group</b>												
African American	--	48.3	51.7	49.3	48.5	48.3	--	25.1	26.9	24.5	25.3	25.6
Hispanic/Latino	--	61.2	64.2	60.6	59.3	61.6	--	36.2	38.1	35.6	35.2	35.2
White, non-Hispanic	--	66.4	66.5	64.6	60.8	60.1	--	41.1	42.2	41.5	38.1	37.5
<b>Age</b>												
11	--	30.4	31.3	25.9	24.6	24.5	--	12.5	15.5	10.8	10.5	9.7
12	--	38.6	39.7	35.5	33.1	32.9	--	17.4	17.4	15.6	14.5	13.9
13	--	49.1	50.3	46.7	43.0	42.8	--	25.7	27.1	24.1	22.1	22.2
14	--	60.7	60.7	56.4	54.2	58.5	--	34.2	34.8	32.3	30.2	32.0
15	--	67.5	68.9	66.4	62.8	65.2	--	40.0	41.9	39.9	37.5	41.3
16	--	71.5	74.0	73.0	69.8	70.2	--	45.5	46.4	46.1	43.2	41.5
17	--	75.9	75.7	75.9	73.1	70.8	--	49.8	49.9	49.8	48.1	46.5
18	--	76.6	78.5	77.6	75.4	76.6	--	53.0	56.1	55.6	51.6	50.7
<b>Grade</b>												
6th	--	36.6	36.5	32.5	30.7	30.2	--	16.5	17.0	15.1	14.6	13.1
7th	--	47.6	49.1	45.2	42.3	42.1	--	24.9	26.7	22.5	21.6	21.6
8th	--	59.4	59.9	56.2	52.8	56.2	--	33.8	33.8	32.2	29.1	31.3
9th	--	66.1	67.9	63.8	61.0	66.0	--	39.2	40.6	38.6	35.8	39.6
10th	--	70.6	71.7	71.6	68.7	67.0	--	42.6	44.5	44.3	42.1	40.7
11th	--	75.3	76.3	75.4	72.4	71.8	--	48.6	49.0	47.6	46.3	44.4
12th	--	77.1	78.1	77.9	75.9	75.0	--	54.1	54.5	55.0	51.5	51.1
<b>Overall Middle School</b>	--	47.8	48.6	45.0	41.9	42.9	--	25.0	25.9	23.5	21.7	22.1
<b>Overall High School</b>	--	71.2	72.6	71.4	68.9	69.6	--	44.8	46.0	45.4	43.3	43.5
<b>Total</b>	--	<b>60.4</b>	<b>61.8</b>	<b>60.1</b>	<b>57.1</b>	<b>57.9</b>	--	<b>35.7</b>	<b>37.1</b>	<b>36.0</b>	<b>33.9</b>	<b>34.1</b>

Note: Trend data begin in 2002 because several of the survey's illicit drug measures were not included on the 2000 questionnaire.

**Table 35. Percentages of surveyed Florida youth who used *any illicit drug, but no alcohol* in lifetime and past 30 days, by sex, race/ethnic group, age and grade—2000 to 2009**

	Any Illicit Drug, but No Alcohol											
	Lifetime						Past 30 Days					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	--	3.9	4.4	3.8	3.9	3.8	--	4.3	5.1	4.0	4.2	4.8
Male	--	4.9	5.0	4.6	4.6	4.5	--	5.6	5.1	4.6	4.5	5.4
<b>Race/Ethnic group</b>												
African American	--	6.4	6.8	6.0	6.0	5.5	--	5.6	6.4	5.5	5.7	6.5
Hispanic/Latino	--	4.0	4.3	4.3	3.8	3.7	--	5.0	4.7	4.3	4.0	4.5
White, non-Hispanic	--	3.3	3.7	3.3	3.4	3.4	--	4.5	4.5	3.8	3.8	4.4
<b>Age</b>												
11	--	5.7	7.5	5.9	6.5	5.2	--	4.1	5.5	3.5	3.9	3.3
12	--	6.2	6.7	6.4	6.6	7.0	--	5.1	5.5	4.2	4.5	4.6
13	--	6.0	6.5	5.5	5.3	5.8	--	5.7	6.0	5.1	4.7	5.0
14	--	4.4	4.8	4.2	4.7	4.5	--	5.6	5.3	4.8	4.2	5.6
15	--	4.1	4.3	3.8	3.9	3.1	--	4.6	5.2	4.1	5.0	5.7
16	--	3.0	3.4	3.6	2.9	3.8	--	4.6	4.5	4.6	4.1	5.4
17	--	2.5	2.6	3.1	2.6	1.9	--	4.9	4.1	4.0	4.1	5.1
18	--	2.2	2.9	2.1	2.4	2.6	--	2.8	3.3	2.8	3.9	4.4
<b>Grade</b>												
6th	--	6.5	7.6	6.6	6.7	6.7	--	5.1	6.0	4.2	4.6	4.3
7th	--	6.0	6.2	6.0	5.4	5.8	--	5.9	6.3	5.2	4.9	5.4
8th	--	5.0	5.1	4.2	5.2	4.6	--	5.9	5.3	4.7	4.6	5.2
9th	--	4.1	4.4	3.8	4.1	4.2	--	4.8	5.1	4.5	4.5	5.8
10th	--	2.7	3.3	3.5	3.0	3.0	--	4.4	4.3	3.9	4.4	5.5
11th	--	2.6	2.6	3.0	2.5	2.4	--	4.2	3.8	3.8	4.2	4.9
12th	--	1.9	2.6	2.2	2.1	1.9	--	2.9	3.9	3.3	3.5	4.3
<b>Overall Middle School</b>	--	5.8	6.3	5.5	5.8	5.7	--	5.6	5.9	4.8	4.7	5.0
<b>Overall High School</b>	--	3.0	3.4	3.2	3.0	3.0	--	4.3	4.4	4.0	4.2	5.2
<b>Total</b>	--	<b>4.3</b>	<b>4.7</b>	<b>4.2</b>	<b>4.2</b>	<b>4.2</b>	--	<b>4.9</b>	<b>5.0</b>	<b>4.3</b>	<b>4.4</b>	<b>5.1</b>

Note: Trend data begin in 2002 because several of the survey's illicit drug measures were not included on the 2000 questionnaire.

**Table 36. Percentages of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months—carrying a handgun and selling drugs—2000 to 2009**

	Delinquent Behavior											
	Carrying a Handgun						Selling Drugs					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	2.0	1.3	1.5	2.1	2.1	1.9	4.3	3.5	3.7	3.5	3.2	3.4
Male	9.2	6.6	6.8	8.2	8.0	8.4	11.4	8.7	8.0	8.1	7.8	8.4
<b>Race/Ethnic group</b>												
African American	6.4	4.1	4.4	6.0	6.2	7.7	7.1	4.1	5.2	5.7	5.2	5.9
Hispanic/Latino	6.2	3.2	3.9	5.2	4.4	4.3	6.6	3.9	4.6	4.8	4.5	4.2
White, non-Hispanic	5.0	3.5	3.7	4.7	4.7	4.3	8.8	7.3	6.5	6.3	6.4	6.4
<b>Age</b>												
11	1.7	1.1	1.9	2.4	1.9	1.2	0.3	0.8	0.6	0.4	0.2	0.2
12	2.8	2.3	2.3	3.1	2.4	3.8	0.8	1.1	0.8	0.9	0.7	0.8
13	4.3	3.1	3.5	4.5	4.0	4.2	3.2	2.8	2.0	2.5	2.1	2.5
14	5.4	3.7	4.2	4.9	5.2	5.3	6.2	5.3	4.8	4.7	4.6	5.4
15	6.9	4.3	4.2	5.6	6.1	6.4	10.3	7.6	7.8	6.5	6.8	7.8
16	7.0	4.9	4.7	6.5	5.8	5.7	11.9	8.3	9.2	9.1	8.2	8.6
17	7.2	3.6	4.9	5.4	5.5	5.0	15.2	9.1	8.4	8.8	8.6	7.2
18	7.5	4.2	3.5	6.4	6.6	7.2	10.5	8.6	7.5	8.8	8.8	11.2
<b>Grade</b>												
6th	3.6	2.5	2.4	3.8	2.7	3.7	1.8	1.4	0.9	1.2	0.8	1.1
7th	4.7	3.1	4.0	4.4	4.5	4.3	4.1	2.8	2.4	2.8	2.6	2.3
8th	6.5	4.0	4.4	5.3	5.6	6.1	7.2	5.1	5.0	4.6	4.6	5.3
9th	6.6	4.4	4.1	5.8	6.0	5.9	10.7	7.4	7.2	6.4	6.7	7.7
10th	6.8	4.2	4.6	5.7	5.3	5.5	11.6	7.6	8.7	7.8	7.4	8.2
11th	6.6	3.7	4.2	5.0	5.1	4.7	10.5	8.9	7.9	8.7	8.4	7.5
12th	5.8	4.1	3.8	5.9	5.8	5.9	10.6	8.4	7.6	8.7	8.2	9.6
<b>Overall Middle School</b>	4.9	3.2	3.6	4.6	4.3	4.7	4.3	3.1	2.8	2.9	2.7	3.0
<b>Overall High School</b>	6.5	4.1	4.2	5.6	5.6	5.5	10.9	8.0	7.8	7.8	7.6	8.2
<b>Total</b>	<b>5.8</b>	<b>3.7</b>	<b>3.9</b>	<b>5.2</b>	<b>5.0</b>	<b>5.1</b>	<b>7.9</b>	<b>5.8</b>	<b>5.6</b>	<b>5.8</b>	<b>5.5</b>	<b>5.8</b>

**Table 37. Percentages of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months—attempting to steal a vehicle and being arrested—2000 to 2009**

	Delinquent Behavior											
	Attempting to Steal a Vehicle						Being Arrested					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	2.9	1.9	2.0	2.1	1.7	2.0	5.6	3.8	4.0	4.0	3.3	3.3
Male	6.0	4.3	4.3	3.9	3.3	4.1	12.7	7.7	7.9	7.0	6.4	6.7
<b>Race/Ethnic group</b>												
African American	5.5	3.2	3.8	3.5	3.1	5.0	11.2	6.1	6.9	7.1	7.1	7.5
Hispanic/Latino	4.7	2.8	3.4	3.1	2.4	2.7	9.7	4.9	5.6	4.6	4.0	4.6
White, non-Hispanic	3.9	2.7	2.6	2.7	2.2	2.2	8.3	5.2	5.2	5.2	4.4	4.2
<b>Age</b>												
11	0.8	1.2	0.8	1.0	0.4	1.4	1.1	1.6	1.3	0.8	0.5	0.9
12	2.2	1.4	1.6	1.2	1.3	1.4	3.7	2.6	2.6	1.9	1.6	1.8
13	2.9	2.5	2.6	2.6	1.9	2.5	6.3	4.8	4.3	4.1	3.5	3.9
14	5.1	3.9	3.8	3.1	3.4	3.2	10.4	5.8	6.3	5.9	5.8	5.2
15	6.0	3.9	3.9	3.9	2.9	4.2	12.0	6.8	7.9	6.8	6.4	8.8
16	5.7	3.3	3.8	4.1	3.3	4.1	11.4	6.9	8.3	7.6	6.6	5.7
17	5.2	2.9	3.5	2.9	2.3	2.5	12.9	6.6	5.8	5.8	5.5	5.2
18	4.4	2.3	1.6	2.9	2.1	3.6	9.5	5.8	4.4	6.6	5.2	4.0
<b>Grade</b>												
6th	2.3	1.6	1.9	1.6	1.5	2.0	5.4	2.9	3.3	2.7	2.3	2.4
7th	4.8	2.7	2.6	2.7	2.5	2.1	8.4	5.4	4.9	4.5	4.5	4.0
8th	4.8	3.8	3.8	3.3	3.2	3.9	10.7	6.2	6.3	6.2	5.2	6.1
9th	6.1	3.9	4.2	3.8	3.2	3.9	11.5	6.6	7.6	6.6	6.7	6.7
10th	5.2	2.8	3.4	3.7	2.6	4.0	10.5	5.9	7.3	6.5	5.5	6.5
11th	4.3	2.7	2.9	2.7	2.2	2.6	9.4	6.2	5.8	5.7	5.4	4.7
12th	3.2	2.9	2.2	2.9	2.2	2.4	8.1	5.7	3.9	5.9	4.6	5.0
<b>Overall Middle School</b>	4.0	2.7	2.8	2.6	2.4	2.7	8.2	4.9	4.9	4.5	4.0	4.2
<b>Overall High School</b>	4.9	3.2	3.3	3.3	2.6	3.3	10.2	6.2	6.5	6.2	5.6	5.8
<b>Total</b>	<b>4.5</b>	<b>3.0</b>	<b>3.1</b>	<b>3.0</b>	<b>2.5</b>	<b>3.0</b>	<b>9.3</b>	<b>5.6</b>	<b>5.8</b>	<b>5.5</b>	<b>4.9</b>	<b>5.1</b>

**Table 38. Percentages of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months—taking a handgun to school and getting suspended—2000 to 2009**

	Delinquent Behavior											
	Taking A Handgun To School						Getting Suspended					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	0.7	0.5	0.3	0.6	0.4	0.6	13.0	10.9	11.7	12.0	11.5	10.5
Male	2.5	1.7	1.6	1.7	1.5	1.7	25.1	19.4	19.6	20.0	18.9	20.1
<b>Race/Ethnic group</b>												
African American	2.3	1.3	1.5	1.8	1.7	2.4	28.8	24.5	24.6	26.3	26.1	26.4
Hispanic/Latino	1.4	0.9	1.0	1.1	0.8	0.9	18.6	14.8	15.0	16.6	14.4	13.2
White, non-Hispanic	1.0	0.9	0.6	0.8	0.7	0.9	14.9	11.2	12.1	12.3	11.1	12.0
<b>Age</b>												
11	0.2	0.4	0.6	0.7	0.2	0.5	6.9	8.0	8.0	7.7	8.6	7.5
12	0.6	0.5	0.5	0.4	0.5	0.8	12.0	11.2	11.9	12.0	10.9	11.4
13	0.9	1.0	0.9	1.0	0.6	1.1	18.9	17.0	17.1	17.4	16.0	15.8
14	1.5	1.1	0.8	1.1	1.1	1.2	22.2	16.8	17.7	19.0	18.4	18.6
15	1.8	1.0	1.2	1.0	1.3	1.4	24.4	16.6	17.8	18.0	17.8	18.3
16	1.8	1.2	0.9	1.5	1.1	1.5	20.6	15.2	16.7	17.2	16.8	18.1
17	2.2	1.2	1.3	1.4	1.1	0.8	20.4	13.9	13.0	14.2	13.5	13.3
18	2.9	1.1	0.4	1.4	1.0	1.7	17.2	12.7	11.2	13.4	12.1	10.1
<b>Grade</b>												
6th	1.0	0.8	0.6	0.8	0.6	0.6	15.5	12.9	13.2	13.7	12.9	12.4
7th	1.3	1.0	0.8	1.0	1.0	1.3	20.1	17.5	18.5	18.2	16.9	17.4
8th	1.3	1.0	1.0	1.1	1.0	1.2	24.1	16.6	18.7	19.4	18.8	19.9
9th	2.3	1.0	1.1	1.3	1.3	1.8	23.3	16.8	16.7	18.4	17.4	16.9
10th	1.7	1.1	1.1	1.0	0.8	1.2	18.8	13.6	15.4	15.2	15.3	16.3
11th	2.2	1.1	1.0	1.4	1.1	0.8	16.5	12.7	13.1	13.2	13.6	13.2
12th	1.7	1.5	0.7	1.5	1.1	1.2	12.3	12.1	9.9	12.6	10.5	9.6
<b>Overall Middle School</b>	1.2	0.9	0.8	0.9	0.8	1.0	19.9	15.7	16.9	17.3	16.2	16.6
<b>Overall High School</b>	2.0	1.1	1.0	1.3	1.1	1.3	18.7	14.3	14.3	15.2	14.4	14.2
<b>Total</b>	<b>1.6</b>	<b>1.1</b>	<b>0.9</b>	<b>1.1</b>	<b>1.0</b>	<b>1.2</b>	<b>19.3</b>	<b>14.9</b>	<b>15.5</b>	<b>16.1</b>	<b>15.2</b>	<b>15.3</b>

**Table 39. Percentages of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months—attacking someone with intent to harm and being drunk or high at school—2000 to 2009**

	Delinquent Behavior											
	Attacking Someone With Intent To Harm						Being Drunk Or High At School					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	13.0	9.5	10.3	10.5	9.9	10.1	12.8	11.1	12.2	12.5	10.9	12.1
Male	22.9	15.3	15.5	16.1	13.7	15.6	18.2	14.6	13.5	13.5	12.3	14.5
<b>Race/Ethnic group</b>												
African American	22.1	15.1	16.4	17.2	17.4	19.3	10.2	7.5	8.1	8.6	8.4	11.4
Hispanic/Latino	17.0	10.1	12.0	12.0	10.0	10.8	15.8	10.8	11.8	11.4	10.9	12.0
White, non-Hispanic	16.4	10.8	10.8	11.3	9.7	10.2	18.6	15.9	15.4	15.4	13.5	14.4
<b>Age</b>												
11	8.1	5.5	6.6	7.4	6.2	5.3	1.3	1.4	1.8	2.3	1.1	1.0
12	12.9	8.6	9.9	10.2	8.8	8.0	3.5	3.2	3.4	2.9	2.8	2.5
13	16.5	11.9	13.7	13.3	11.3	12.0	8.5	7.5	6.8	7.0	6.1	6.6
14	20.6	13.7	14.1	14.4	13.2	15.6	14.2	12.6	11.3	10.8	10.5	13.2
15	21.9	15.4	14.6	14.8	14.2	15.0	19.3	16.4	16.5	14.8	13.9	18.2
16	20.5	13.6	13.7	14.8	13.2	16.6	23.3	17.5	19.5	18.9	16.5	17.2
17	18.9	11.0	12.3	12.3	11.0	10.8	26.1	18.9	17.6	19.6	17.0	19.7
18	15.8	9.5	8.4	12.3	10.4	12.1	19.1	16.3	17.7	19.3	17.9	22.4
<b>Grade</b>												
6th	13.4	8.8	10.0	10.2	9.3	8.9	4.6	3.4	3.2	3.4	2.9	3.1
7th	18.3	11.8	13.7	13.9	11.6	10.9	8.6	7.0	7.3	6.6	6.6	5.9
8th	21.2	14.0	15.0	15.3	13.3	15.8	15.4	12.5	11.2	11.2	10.2	13.0
9th	22.4	15.2	14.3	14.3	14.6	17.3	20.2	15.7	15.5	14.4	13.4	17.6
10th	18.1	12.0	13.6	14.0	12.5	13.4	21.9	16.3	18.0	17.2	15.7	17.6
11th	16.8	11.5	11.0	12.4	11.2	12.2	21.0	18.5	17.4	18.5	16.3	18.1
12th	13.7	9.3	8.9	11.5	9.4	10.9	19.1	17.1	17.6	19.4	17.3	20.7
<b>Overall Middle School</b>	17.6	11.5	13.0	13.3	11.4	11.9	9.5	7.6	7.4	7.3	6.6	7.4
<b>Overall High School</b>	18.5	12.5	12.4	13.2	12.1	13.6	20.6	16.7	17.0	17.1	15.5	18.4
<b>Total</b>	<b>18.1</b>	<b>12.1</b>	<b>12.7</b>	<b>13.3</b>	<b>11.8</b>	<b>12.8</b>	<b>15.5</b>	<b>12.7</b>	<b>12.8</b>	<b>13.0</b>	<b>11.6</b>	<b>13.4</b>



**Table 40. Percentages of surveyed Florida youth who reported gambling and arguing about gambling in past 12 months—2004 to 2009**

	Gambling				Arguing about Gambling			
	2004 %	2006 %	2008 %	2009 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>								
Female	46.6	44.7	44.7	43.1	11.9	11.6	11.5	11.0
Male	67.7	67.3	65.6	64.1	20.2	20.4	19.7	19.5
<b>Race/Ethnic group</b>								
African American	59.7	59.0	58.7	54.0	21.2	21.9	21.2	20.7
Hispanic/Latino	53.6	52.6	51.4	51.8	14.4	15.7	14.3	13.6
White, non-Hispanic	56.6	56.6	55.2	53.3	13.5	14.0	13.5	12.8
<b>Age</b>								
11	48.4	47.1	49.1	45.4	15.7	15.2	14.8	14.9
12	52.7	52.5	53.1	52.8	17.1	16.3	14.9	15.2
13	57.5	58.0	58.5	57.3	18.4	17.2	18.1	17.2
14	60.7	59.0	59.7	58.8	17.8	18.9	18.3	17.3
15	58.8	59.0	57.2	55.1	15.5	16.9	17.1	16.6
16	56.6	57.3	54.6	53.4	13.6	15.9	14.6	15.0
17	52.7	52.7	50.8	48.7	13.0	13.2	12.6	11.7
18	53.4	54.2	52.6	50.6	11.9	12.0	12.7	11.5
<b>Grade</b>								
6th	52.1	51.7	53.0	51.4	17.9	17.1	16.3	16.2
7th	57.1	57.1	57.4	56.2	18.3	17.8	17.7	17.5
8th	60.4	59.5	60.6	59.5	17.2	18.2	18.1	16.6
9th	59.7	59.8	57.6	57.4	16.1	16.9	17.6	17.7
10th	56.5	56.6	55.2	50.5	14.3	16.0	14.3	13.6
11th	52.3	53.4	51.2	51.8	12.8	13.1	13.2	12.9
12th	53.7	52.4	50.8	48.5	11.3	12.5	11.5	10.8
<b>Overall Middle School</b>	56.6	56.2	57.0	55.7	17.8	17.7	17.4	16.7
<b>Overall High School</b>	56.1	56.0	54.0	52.3	14.0	14.9	14.4	14.0
<b>Total</b>	<b>56.3</b>	<b>56.1</b>	<b>55.3</b>	<b>53.8</b>	<b>15.7</b>	<b>16.1</b>	<b>15.7</b>	<b>15.2</b>

Note: Questions about gambling were not included in the 2000 and 2002 surveys.

**Table 41. Percentage of high school students who started using alcohol at age 13 or younger —2000 to 2009**

	Early ATOD Use											
	More Than A Sip Of Alcohol						Drinking At Least Once A Month					
	2000	2002	2004	2006	2008	2009	2000	2002	2004	2006	2008	2009
<b>Sex</b>												
Female	37.8	36.1	34.2	32.9	31.0	30.3	8.7	7.0	7.1	6.4	5.5	5.5
Male	43.7	39.5	40.3	36.8	33.9	34.4	10.5	7.6	7.2	6.7	6.4	6.2
<b>Race/Ethnic group</b>												
African American	34.8	33.0	32.6	31.3	28.8	31.0	6.9	5.7	6.3	5.2	4.9	6.1
Hispanic/Latino	41.1	39.5	39.2	37.6	32.9	34.3	8.0	7.3	7.6	7.0	5.9	6.0
White, non-Hispanic	44.0	37.7	36.7	34.3	32.0	31.2	10.2	7.6	6.6	6.5	5.9	5.3
<b>Age</b>												
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	55.8	52.1	50.3	46.7	44.9	52.4	13.7	10.8	10.2	9.9	9.8	8.8
15	47.3	44.5	42.2	40.1	37.6	38.2	10.6	8.1	9.0	7.3	7.0	8.1
16	39.7	36.1	35.2	34.5	31.5	32.2	9.5	7.7	6.8	6.8	5.9	6.1
17	35.8	31.5	32.6	30.1	28.3	25.1	8.1	6.0	5.6	5.6	4.8	3.6
18	30.5	28.5	26.3	26.9	25.7	25.7	5.5	5.0	3.7	4.6	4.0	3.7
<b>Grade</b>												
6th	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--
9th	49.8	46.2	44.8	42.8	39.4	42.2	14.1	9.4	9.9	8.8	8.5	8.7
10th	40.2	35.6	36.6	35.0	32.7	31.7	8.5	7.1	6.9	6.7	5.7	5.9
11th	35.2	33.0	32.2	30.4	29.1	28.2	6.3	6.3	5.7	5.3	4.5	4.7
12th	31.8	29.7	28.2	28.2	26.0	24.9	6.6	4.9	4.0	4.8	4.4	3.4
<b>Overall Middle School</b>	--	--	--	--	--	--	--	--	--	--	--	--
<b>Overall High School</b>	40.9	37.7	36.8	35.0	32.3	32.3	9.6	7.3	7.1	6.7	5.9	5.9
<b>Total</b>	--	--	--	--	--	--	--	--	--	--	--	--

**Table 42. Percentage of high school students who started using cigarettes or marijuana at age 13 or younger —2000 to 2009**

	Early ATOD Use											
	Cigarettes						Marijuana					
	2000	2002	2004	2006	2008	2009	2000	2002	2004	2006	2008	2009
<b>Sex</b>												
Female	38.1	31.3	28.0	23.7	19.6	17.1	13.9	11.1	11.2	10.4	8.8	8.6
Male	40.7	31.4	29.6	24.1	20.3	20.4	20.5	16.2	16.1	14.4	12.4	12.6
<b>Race/Ethnic group</b>												
African American	26.1	21.4	21.2	18.1	14.5	14.0	11.7	9.4	10.5	9.0	8.1	9.0
Hispanic/Latino	36.0	27.8	28.1	23.0	18.2	17.2	14.6	9.8	11.5	11.1	8.1	8.8
White, non-Hispanic	47.1	36.2	31.3	26.3	22.3	21.0	20.8	15.9	15.0	13.7	12.3	11.7
<b>Age</b>												
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	42.2	33.0	27.3	23.5	20.5	20.9	16.3	14.8	11.9	12.2	10.9	13.0
15	42.6	32.8	29.2	24.1	20.5	19.9	18.1	15.0	14.2	12.2	11.2	11.5
16	40.9	32.1	30.3	25.0	19.7	18.7	18.7	14.0	14.6	13.1	10.7	11.1
17	38.0	31.2	28.2	22.3	20.4	17.9	17.6	12.4	12.6	11.9	10.0	9.2
18	31.6	27.0	25.5	23.7	18.4	17.5	12.8	9.9	11.7	12.6	10.4	9.0
<b>Grade</b>												
6th	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--
9th	44.6	33.3	30.4	25.7	21.3	22.2	20.6	15.6	14.7	13.5	11.7	13.4
10th	40.3	31.6	29.5	24.3	19.8	17.9	18.2	13.4	14.7	12.7	10.9	10.8
11th	35.9	30.9	27.7	21.8	20.1	17.8	14.1	12.4	12.1	11.0	9.9	8.8
12th	32.2	27.9	26.0	23.3	18.2	16.6	13.4	10.5	11.3	12.3	9.7	8.9
<b>Overall Middle School</b>	--	--	--	--	--	--	--	--	--	--	--	--
<b>Overall High School</b>	39.4	31.4	28.7	23.9	19.9	18.8	17.3	13.4	13.5	12.5	10.6	10.6
<b>Total</b>	--	--	--	--	--	--	--	--	--	--	--	--

**Table 43. Percentages of surveyed Florida youth who perceive great risk of harm in using alcohol or tobacco—2000 to 2009**

	Perceive Great Risk Of Harm If:											
	Drink One Or More Alcoholic Drinks Nearly Every Day						Smoke A Pack Or More Of Cigarettes Per Day					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	45.6	42.9	42.0	44.5	46.2	46.0	66.6	65.4	67.2	68.7	70.6	68.1
Male	35.6	33.4	34.0	35.8	37.6	36.7	60.6	61.9	62.7	63.7	64.7	64.5
<b>Race/Ethnic group</b>												
African American	44.2	43.1	43.0	44.5	45.6	44.7	63.2	60.3	62.9	62.6	64.7	62.0
Hispanic/Latino	43.3	40.6	40.2	43.2	44.7	44.4	63.5	62.0	63.2	64.8	65.1	65.3
White, non-Hispanic	37.7	34.8	34.0	36.5	37.6	38.3	66.3	65.7	66.5	67.4	69.7	68.2
<b>Age</b>												
11	45.2	45.4	45.2	48.6	50.1	51.8	67.2	64.9	68.6	71.9	73.5	72.3
12	43.5	40.7	41.7	45.1	46.4	47.7	65.3	62.5	64.9	67.6	70.2	69.6
13	39.5	37.1	38.5	40.4	43.0	41.8	59.8	60.4	63.0	64.3	66.7	62.6
14	38.4	36.6	35.6	37.6	40.0	37.6	61.9	63.0	63.9	64.4	67.2	63.1
15	39.0	37.6	36.3	37.6	40.5	39.4	63.7	63.7	65.1	65.1	65.9	64.1
16	40.4	38.3	38.6	40.3	40.6	40.4	63.8	65.7	65.1	66.6	67.5	69.2
17	41.7	40.0	37.6	39.8	41.2	42.1	66.6	67.2	67.4	67.4	68.7	69.3
18	42.0	37.5	38.8	38.1	39.5	37.7	66.5	65.3	65.4	66.2	66.2	67.1
<b>Grade</b>												
6th	41.7	40.2	41.4	44.4	46.0	46.1	62.1	60.6	63.5	66.4	68.2	65.4
7th	41.2	38.1	39.3	41.2	42.6	41.8	59.7	61.3	62.7	64.1	65.6	63.1
8th	38.1	35.2	35.4	36.4	41.0	39.6	60.5	62.2	63.6	63.1	67.4	65.0
9th	36.6	38.1	36.5	38.3	39.8	38.9	61.9	63.0	65.2	66.2	66.5	65.6
10th	42.7	39.5	38.3	40.1	40.7	41.6	67.3	67.4	65.9	66.9	68.0	65.8
11th	42.7	38.9	37.5	41.2	42.6	43.1	68.7	67.6	67.0	68.0	69.2	71.9
12th	42.4	40.1	40.3	39.2	40.4	37.9	67.3	66.8	68.3	67.7	68.6	67.9
<b>Overall Middle School</b>	40.3	37.9	38.7	40.6	43.2	42.5	60.7	61.3	63.2	64.5	67.0	64.5
<b>Overall High School</b>	40.6	39.0	37.9	39.6	40.8	40.4	65.8	65.8	66.3	67.1	68.0	67.7
<b>Total</b>	<b>40.5</b>	<b>38.5</b>	<b>38.2</b>	<b>40.0</b>	<b>41.9</b>	<b>41.3</b>	<b>63.4</b>	<b>63.7</b>	<b>64.9</b>	<b>66.0</b>	<b>67.6</b>	<b>66.3</b>

**Table 44. Percentages of surveyed Florida youth who perceive great risk of harm in smoking marijuana—2000 to 2009**

	Smoke Marijuana Regularly						Try Marijuana Once Or Twice					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	64.4	62.6	64.0	64.6	63.8	61.6	32.9	31.6	33.8	34.4	34.3	32.8
Male	55.0	53.2	57.4	56.5	56.0	52.0	29.7	28.0	30.4	30.9	30.8	29.1
<b>Race/Ethnic group</b>												
African American	56.0	54.8	55.3	54.7	55.0	52.5	33.4	32.7	33.3	32.9	33.6	32.4
Hispanic/Latino	61.2	61.0	64.1	62.5	62.3	57.8	35.1	34.1	36.7	37.0	35.7	33.8
White, non-Hispanic	61.4	57.2	60.5	60.5	59.6	57.2	28.0	25.8	28.0	29.2	29.0	28.6
<b>Age</b>												
11	76.5	76.9	79.6	79.9	81.9	81.7	46.0	46.2	52.6	52.3	51.8	53.0
12	74.7	73.4	76.7	78.1	77.7	75.0	44.2	42.8	47.5	48.3	48.7	46.7
13	68.2	68.7	70.9	70.8	72.1	67.2	38.8	37.9	41.1	42.9	42.5	38.8
14	61.1	61.1	63.2	63.4	64.4	58.8	30.3	30.0	33.5	33.6	34.3	30.3
15	54.2	53.0	56.5	55.9	55.7	49.8	24.8	23.9	25.8	27.3	27.5	25.8
16	51.2	48.3	51.5	52.0	49.1	50.2	24.6	22.9	24.2	24.6	23.4	25.5
17	49.6	46.3	49.5	48.4	46.9	44.3	23.4	22.1	22.4	23.5	22.7	21.2
18	51.6	43.6	47.6	48.0	44.2	41.1	28.2	22.1	22.7	22.1	22.1	21.3
<b>Grade</b>												
6th	70.5	71.6	74.3	74.7	75.5	72.5	43.5	42.9	47.2	48.5	47.9	47.0
7th	68.0	69.7	71.6	71.8	71.9	67.7	40.1	38.2	43.0	43.5	44.5	40.4
8th	61.8	61.7	64.9	64.3	66.1	61.8	30.7	32.0	35.3	35.6	35.1	33.2
9th	55.0	53.8	57.8	58.7	58.4	52.2	25.5	24.3	26.8	29.1	28.5	25.7
10th	53.5	51.2	53.3	52.9	50.3	50.5	26.6	24.3	24.7	24.0	23.9	25.5
11th	53.2	46.7	50.8	50.5	48.0	45.3	25.5	21.7	23.1	24.7	23.5	21.6
12th	50.8	45.8	48.8	48.3	45.5	41.8	24.7	22.8	21.8	22.3	22.2	20.0
<b>Overall Middle School</b>	66.8	67.7	70.2	70.1	71.2	67.3	38.1	37.8	41.8	42.3	42.6	40.2
<b>Overall High School</b>	53.5	50.2	53.4	53.2	51.0	47.8	25.7	23.5	24.5	25.4	24.7	23.4
<b>Total</b>	<b>59.5</b>	<b>58.1</b>	<b>60.9</b>	<b>60.4</b>	<b>59.8</b>	<b>56.5</b>	<b>31.3</b>	<b>30.0</b>	<b>32.2</b>	<b>32.6</b>	<b>32.5</b>	<b>30.9</b>

**Table 45. Percentages of surveyed Florida youth who think it would be wrong for someone their age to drink alcohol regularly or smoke cigarettes—2000 to 2009**

	Drink Alcohol Regularly						Smoke Cigarettes					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	68.9	67.9	63.0	64.0	65.7	64.9	74.3	78.3	77.7	79.3	80.7	80.6
Male	63.3	64.6	62.7	63.3	65.4	64.5	71.8	77.4	78.1	78.2	80.3	80.5
<b>Race/Ethnic group</b>												
African American	75.5	75.6	71.4	72.9	72.3	71.8	84.7	88.0	87.3	87.3	88.1	87.4
Hispanic/Latino	64.7	69.1	62.9	65.4	65.9	64.9	73.9	80.1	79.0	81.7	83.0	83.7
White, non-Hispanic	60.0	60.0	57.9	58.0	61.0	60.9	65.9	71.6	72.6	73.6	75.0	75.4
<b>Age</b>												
11	92.6	92.4	91.8	93.2	93.6	93.8	95.7	96.0	96.2	97.4	97.1	97.7
12	87.4	87.9	86.1	87.8	89.5	89.2	90.7	92.7	92.2	93.7	95.5	94.4
13	79.7	78.8	76.9	78.3	80.5	80.4	82.4	86.3	87.3	88.3	90.3	90.0
14	67.5	68.9	65.3	67.5	70.0	66.2	74.8	80.7	81.1	82.8	85.4	82.9
15	60.0	59.9	56.5	57.0	61.3	57.7	69.6	75.9	75.7	77.7	80.3	78.6
16	54.6	54.7	49.8	51.6	53.9	55.9	64.0	71.2	70.7	72.8	74.7	76.8
17	47.8	50.2	45.0	48.2	48.0	50.1	57.7	64.9	66.2	67.0	69.2	69.6
18	51.0	46.5	42.8	43.3	44.6	42.0	57.7	56.8	56.5	56.3	58.0	62.6
<b>Grade</b>												
6th	88.1	88.4	87.7	89.0	89.4	90.3	90.2	93.1	93.2	94.1	94.8	94.6
7th	80.6	80.3	77.8	79.3	81.2	81.1	84.0	87.1	87.0	88.6	90.8	90.5
8th	69.6	69.7	67.3	68.8	72.7	68.1	75.4	80.8	81.7	83.2	85.9	84.1
9th	59.5	61.4	57.6	58.4	62.2	58.1	69.0	76.4	76.2	77.9	80.7	78.7
10th	54.5	56.2	51.6	52.8	55.5	57.5	64.1	73.0	72.7	74.4	76.4	77.2
11th	51.4	51.1	45.9	50.2	49.9	50.8	61.9	65.9	67.1	69.7	70.8	72.6
12th	48.0	46.1	43.1	43.2	43.6	42.9	57.6	58.3	60.1	58.9	60.5	62.7
<b>Overall Middle School</b>	79.5	79.6	77.6	78.8	81.2	79.8	83.3	87.1	87.3	88.5	90.5	89.7
<b>Overall High School</b>	54.4	55.1	50.8	52.0	53.5	52.9	64.1	70.0	70.2	71.3	72.9	73.4
<b>Total</b>	<b>66.0</b>	<b>66.4</b>	<b>62.8</b>	<b>63.6</b>	<b>65.4</b>	<b>64.6</b>	<b>72.9</b>	<b>77.9</b>	<b>77.9</b>	<b>78.8</b>	<b>80.5</b>	<b>80.5</b>

**Table 46. Percentages of surveyed Florida youth who think it would be wrong for someone their age to smoke marijuana or use other illicit drugs—2000 to 2009**

	Smoke Marijuana						Use Other Illicit Drugs					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	82.4	82.5	82.0	82.3	82.2	80.4	94.2	95.5	95.6	95.7	95.6	95.7
Male	75.6	76.9	78.5	78.5	78.4	75.8	91.5	93.7	94.3	94.4	94.2	93.9
<b>Race/Ethnic group</b>												
African American	82.3	84.6	82.1	82.4	82.1	80.8	96.6	97.0	96.6	96.4	96.5	95.9
Hispanic/Latino	81.8	85.3	84.5	84.3	84.1	81.7	93.2	95.6	95.3	95.6	95.2	95.4
White, non-Hispanic	75.1	74.9	76.7	77.3	76.8	75.2	91.2	93.5	94.2	94.3	94.3	94.3
<b>Age</b>												
11	98.1	98.1	98.6	98.9	98.6	98.3	98.9	98.6	99.0	99.4	99.0	99.6
12	96.5	95.9	95.8	96.4	97.3	96.9	97.4	98.4	97.9	98.6	98.5	98.4
13	90.3	89.5	90.4	91.1	91.6	90.7	96.2	96.6	96.3	96.7	96.9	96.6
14	81.6	82.4	83.4	84.0	84.1	79.2	93.9	95.4	95.2	95.5	95.1	93.7
15	73.1	74.9	75.7	76.2	77.1	73.4	91.5	93.9	94.7	94.0	94.0	93.9
16	68.6	70.3	70.5	72.0	71.5	70.6	89.8	92.4	93.1	93.8	93.5	93.6
17	65.1	68.4	68.3	69.5	67.9	65.6	88.5	92.2	93.0	93.0	92.8	93.7
18	67.3	65.1	66.2	66.3	64.9	62.9	89.8	91.0	92.6	92.8	92.8	94.0
<b>Grade</b>												
6th	95.0	95.8	96.2	96.0	96.7	96.5	97.3	98.1	97.9	98.3	98.2	98.5
7th	90.2	90.4	90.2	91.3	91.9	90.9	95.5	96.9	96.4	96.8	96.9	96.4
8th	81.8	82.5	84.2	84.6	84.7	80.6	94.3	95.1	95.5	95.1	95.2	94.0
9th	73.9	75.9	76.6	77.7	78.0	73.7	91.1	94.2	94.6	94.5	94.0	93.7
10th	68.9	71.9	72.1	73.3	72.9	72.4	89.7	93.2	93.3	93.7	93.8	94.6
11th	69.2	68.5	69.5	71.2	69.2	67.2	90.4	92.0	93.6	93.8	93.0	93.0
12th	66.4	66.2	67.4	66.3	65.6	62.3	90.1	91.0	92.7	92.6	92.7	93.1
<b>Overall Middle School</b>	89.1	89.7	90.2	90.5	91.1	89.3	95.7	96.7	96.6	96.7	96.8	96.3
<b>Overall High School</b>	70.2	71.5	72.1	72.8	71.9	69.3	90.4	92.9	93.7	93.8	93.5	93.6
<b>Total</b>	<b>78.9</b>	<b>79.9</b>	<b>80.3</b>	<b>80.4</b>	<b>80.2</b>	<b>77.9</b>	<b>92.8</b>	<b>94.6</b>	<b>95.0</b>	<b>95.0</b>	<b>94.9</b>	<b>94.8</b>

**Table 47. Percentages of surveyed Florida youth who reported good chances of being seen as cool if they smoked cigarettes or drank alcohol regularly—2000 to 2009**

	Smoked Cigarettes						Drank Alcohol Regularly					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>												
Female	6.6	5.5	6.0	5.8	5.7	6.4	9.1	10.1	12.2	13.8	12.5	12.9
Male	7.4	5.6	5.5	6.1	6.0	6.3	9.9	10.3	10.3	12.5	11.5	11.9
<b>Race/Ethnic group</b>												
African American	5.7	3.6	4.8	5.5	5.5	6.0	6.7	6.3	8.5	9.5	9.0	8.9
Hispanic/Latino	6.9	5.3	5.7	5.7	5.6	6.3	8.0	7.2	8.7	10.8	9.6	11.2
White, non-Hispanic	7.8	6.1	6.3	6.1	5.9	6.2	11.5	13.4	14.2	16.0	14.8	14.4
<b>Age</b>												
11	5.5	5.4	4.9	4.6	5.0	5.9	4.5	4.9	4.2	4.5	4.9	5.5
12	6.6	6.8	6.2	5.6	5.0	6.3	5.1	6.6	6.0	6.2	5.9	6.6
13	8.3	7.6	7.6	7.3	6.9	6.8	8.1	8.7	9.1	9.3	8.7	9.3
14	8.1	6.9	7.1	7.3	6.2	7.8	9.6	10.2	11.2	12.3	10.7	12.3
15	7.2	4.7	5.7	5.9	5.6	6.5	10.3	11.5	12.9	14.8	13.0	13.3
16	7.0	4.1	4.9	5.2	6.0	5.2	11.6	12.4	14.8	16.6	15.2	13.4
17	5.5	3.4	3.9	5.0	5.3	5.3	11.8	12.1	14.5	17.7	15.9	16.7
18	5.6	3.9	3.9	4.4	5.2	5.5	12.2	12.5	13.2	17.2	16.9	19.1
<b>Grade</b>												
6th	6.2	6.7	5.9	6.1	5.1	6.5	5.3	6.1	5.5	6.4	5.7	6.4
7th	8.6	7.6	7.5	6.8	6.8	6.1	7.5	8.4	9.0	8.4	8.3	8.5
8th	8.4	7.7	7.4	7.2	6.7	8.0	9.2	10.8	10.5	11.2	10.5	11.9
9th	7.5	4.5	5.9	6.3	5.7	7.6	10.0	10.5	12.4	14.7	12.9	13.9
10th	7.0	3.9	5.0	4.9	5.9	5.1	11.8	12.6	14.8	16.0	14.3	13.1
11th	5.0	3.6	3.8	5.2	5.3	4.5	12.8	11.7	14.2	17.8	16.2	14.7
12th	5.2	3.9	3.9	4.6	5.2	5.7	11.0	12.9	14.2	18.3	17.0	19.7
<b>Overall Middle School</b>	7.7	7.3	6.9	6.7	6.2	6.9	7.3	8.4	8.3	8.8	8.1	8.9
<b>Overall High School</b>	6.4	4.0	4.8	5.3	5.6	5.8	11.3	11.7	13.7	16.4	14.9	15.1
<b>Total</b>	<b>7.0</b>	<b>5.6</b>	<b>5.8</b>	<b>6.0</b>	<b>5.8</b>	<b>6.3</b>	<b>9.5</b>	<b>10.2</b>	<b>11.3</b>	<b>13.1</b>	<b>12.0</b>	<b>12.4</b>



**Table 48. Percentages of surveyed Florida youth who reported good chances of being seen as cool if they smoked marijuana—2000 to 2009**

	Good Chance Of Being Seen As Cool If:					
	Smoked Marijuana					
	2000 %	2002 %	2004 %	2006 %	2008 %	2009 %
<b>Sex</b>						
Female	9.5	10.9	11.4	11.4	11.1	12.5
Male	12.7	12.4	11.6	11.6	11.5	13.2
<b>Race/Ethnic group</b>						
African American	12.0	10.3	12.3	12.9	12.6	13.9
Hispanic/Latino	10.3	9.3	10.4	10.2	9.4	12.5
White, non-Hispanic	11.3	13.0	12.3	11.8	11.7	12.2
<b>Age</b>						
11	5.1	5.8	3.9	4.2	5.2	6.4
12	5.7	7.5	6.8	6.1	5.7	6.9
13	9.2	11.9	10.5	10.4	9.7	10.8
14	12.5	13.5	12.7	11.9	11.9	14.9
15	14.6	14.1	14.0	13.4	13.1	15.7
16	13.2	13.0	14.1	14.2	13.7	15.3
17	12.1	11.6	12.7	13.0	13.2	13.6
18	10.0	10.0	10.5	11.5	12.1	14.2
<b>Grade</b>						
6th	6.5	7.6	5.7	6.4	5.8	6.8
7th	9.7	11.1	10.4	9.3	9.4	9.6
8th	12.6	14.1	12.9	11.8	12.6	14.8
9th	13.6	13.6	13.6	13.5	12.5	17.2
10th	12.8	12.5	14.4	13.7	13.7	14.0
11th	11.9	11.7	12.9	13.0	13.2	13.4
12th	10.3	10.5	10.4	12.2	12.2	14.3
<b>Overall Middle School</b>	9.6	10.9	9.7	9.2	9.2	10.4
<b>Overall High School</b>	12.4	12.4	13.0	13.2	12.9	14.8
<b>Total</b>	<b>11.1</b>	<b>11.7</b>	<b>11.5</b>	<b>11.5</b>	<b>11.3</b>	<b>12.9</b>

**Table 49. Percentages of surveyed Florida youth reporting participation in extracurricular activities, 2009**

	School Sports	Organized Sports Outside of School	School Band	School Club(s)	Community Club(s)
	%	%	%	%	%
<b>Sex</b>					
Female	34.4	28.3	10.5	35.1	17.5
Male	41.4	36.2	10.5	17.5	8.7
<b>Race/Ethnic group</b>					
African American	45.3	28.6	9.9	19.8	14.2
Hispanic/Latino	35.6	27.9	7.8	25.1	9.6
White, non-Hispanic	36.6	35.2	11.2	28.7	13.5
<b>Age</b>					
11	34.2	43.4	21.1	19.6	9.5
12	34.8	46.2	17.2	18.8	11.2
13	37.2	41.7	13.6	18.4	11.5
14	37.9	36.3	9.9	19.4	11.7
15	40.4	29.4	8.8	23.9	12.9
16	41.1	25.3	7.3	32.0	14.3
17	39.2	21.2	7.0	38.2	14.8
18	36.2	22.4	6.4	38.7	18.0
<b>Grade</b>					
6th	36.2	45.1	17.2	18.3	10.7
7th	35.8	42.0	14.3	16.6	11.2
8th	38.6	39.7	10.8	18.2	11.1
9th	39.9	28.8	8.7	23.1	12.9
10th	41.2	24.0	7.7	28.1	12.8
11th	38.3	23.7	5.7	38.3	15.6
12th	36.4	20.9	7.9	42.9	17.7
<b>Overall Middle School</b>	36.9	42.3	14.1	17.7	11.0
<b>Overall High School</b>	39.1	24.6	7.5	32.4	14.5
<b>Total</b>	<b>38.1</b>	<b>32.3</b>	<b>10.4</b>	<b>26.0</b>	<b>13.0</b>

**Table 50. Percentages of surveyed Florida youth reporting involvement in bullying behavior, 2009**

	<b>Bullying Caused to Worry</b>	<b>Skipped School Because of Bullying</b>	<b>Was Kicked or Shoved in Past 30 Days</b>	<b>Was Taunted or Teased in Past 30 Days</b>	<b>Victim of Cyber Bullying in Past 30 Days</b>	<b>Physically Bullied Others in Past 30 Days</b>	<b>Verbally Bullied Others in Past 30 Days</b>	<b>Cyber Bullied Others in Past 30 Days</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
<b>Sex</b>								
Female	33.4	4.4	17.2	39.3	11.1	12.1	26.9	8.5
Male	23.4	3.1	22.4	39.3	5.4	17.0	27.0	4.8
<b>Race/Ethnic group</b>								
African American	21.3	2.0	15.5	33.5	6.6	18.3	32.1	7.5
Hispanic/Latino	26.4	2.5	15.0	34.9	6.2	15.2	27.0	5.6
White, non-Hispanic	31.5	5.0	22.0	40.7	9.5	11.0	23.2	6.1
<b>Age</b>								
11	39.1	3.1	21.1	46.4	4.8	9.9	24.1	3.0
12	33.7	3.3	23.1	44.5	6.2	12.7	25.7	4.3
13	27.0	3.9	19.9	38.8	8.3	14.1	27.1	7.1
14	23.0	4.0	17.3	34.3	10.9	18.2	29.0	9.0
15	19.6	4.4	12.6	26.9	9.4	17.6	26.5	8.6
16	14.3	3.2	14.4	35.5	19.3	24.7	26.0	2.9
17	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--
<b>Grade</b>								
6th	34.0	3.4	23.6	45.4	6.7	14.3	27.4	5.5
7th	27.8	4.0	19.4	39.7	8.0	14.3	27.1	6.5
8th	23.4	3.9	16.6	32.6	10.0	15.3	26.2	7.6
9th	--	--	--	--	--	--	--	--
10th	--	--	--	--	--	--	--	--
11th	--	--	--	--	--	--	--	--
12th	--	--	--	--	--	--	--	--
<b>Overall Middle School</b>	28.4	3.8	19.8	39.2	8.2	14.6	26.9	6.6
<b>Overall High School</b>	--	--	--	--	--	--	--	--
<b>Total</b>	--	--	--	--	--	--	--	--

**Table 51. Percentage of Florida youth with elevated protective factor scale scores, 2009**

	Middle School	High School	Overall
<b>Community Domain</b>			
Community Opportunities for Prosocial Involvement	--	39	--
Community Rewards for Prosocial Involvement	51	62	57
<b>Family Domain</b>			
Family Attachment	--	52	--
Family Opportunities for Prosocial Involvement	54	52	53
Family Rewards for Prosocial Involvement	50	52	51
<b>School Domain</b>			
School Opportunities for Prosocial Involvement	48	60	55
School Rewards for Prosocial Involvement	47	56	52
<b>Peer and Individual Domain</b>			
Religiosity	50	62	57
Social Skills	--	62	--
Belief in the Moral Order	--	59	--
<b>Protective Factor Average</b>	<b>50</b>	<b>56</b>	<b>54</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

**Table 52. Percentage of Florida youth with elevated risk factor scale scores, 2009**

	Middle School	High School	Overall
<b>Community Domain</b>			
Low Neighborhood Attachment	--	49	--
Community Disorganization	50	48	49
Transitions and Mobility	61	65	63
Laws and Norms Favorable to Drug Use	45	35	39
Laws and Norms Favorable to Handguns	--	21	--
Perceived Availability of Drugs	48	39	43
Perceived Availability of Handguns	26	40	34
<b>Family Domain</b>			
Poor Family Management	52	51	51
Family Conflict	44	39	41
Family History of Antisocial Behavior	--	46	--
Parental Attitudes Favorable toward ATOD Use	24	39	32
Parental Attitudes Favorable toward Antisocial Behavior	--	46	--
<b>School Domain</b>			
Poor Academic Performance	44	45	45
Lack of Commitment to School	53	45	49
<b>Peer and Individual Domain</b>			
Rebelliousness	--	40	--
Friends' Delinquent Behavior	--	44	--
Friends' Use of Drugs	--	39	--
Peer Rewards for Antisocial Behavior	44	44	44
Favorable Attitudes toward Antisocial Behavior	48	48	48
Favorable Attitudes toward ATOD Use	42	41	41
Low Perceived Risks of Drug Use	45	47	46
Early Initiation of Drug Use	38	34	36
Sensation Seeking	--	43	--
<b>Risk Factor Average</b>	<b>44</b>	<b>43</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

**Table 53. Percentage of youth from the national normative sample with elevated protective factor scale scores**

	<b>Middle School</b>	<b>High School</b>	<b>Overall</b>
<b>Community Domain</b>			
Community Opportunities for Prosocial Involvement	--	52	--
Community Rewards for Prosocial Involvement	56	63	60
<b>Family Domain</b>			
Family Attachment	--	56	--
Family Opportunities for Prosocial Involvement	59	54	56
Family Rewards for Prosocial Involvement	54	55	55
<b>School Domain</b>			
School Opportunities for Prosocial Involvement	57	60	59
School Rewards for Prosocial Involvement	53	58	55
<b>Peer and Individual Domain</b>			
Religiosity	56	62	59
Social Skills	--	57	--
Belief in the Moral Order	--	62	--
<b>Protective Factor Average</b>	<b>56</b>	<b>57</b>	<b>57</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

**Table 54. Percentage of youth from the national normative sample with elevated risk factor scale scores**

	Middle School	High School	Overall
<b>Community Domain</b>			
Low Neighborhood Attachment	--	44	--
Community Disorganization	47	47	47
Transitions and Mobility	47	46	47
Laws and Norms Favorable to Drug Use	42	42	42
Laws and Norms Favorable to Handguns	--	23	--
Perceived Availability of Drugs	45	45	45
Perceived Availability of Handguns	25	42	34
<b>Family Domain</b>			
Poor Family Management	44	45	45
Family Conflict	42	37	39
Family History of Antisocial Behavior	--	45	--
Parental Attitudes Favorable toward ATOD Use	23	41	32
Parental Attitudes Favorable toward Antisocial Behavior	--	48	--
<b>School Domain</b>			
Poor Academic Performance	45	48	47
Lack of Commitment to School	47	46	46
<b>Peer and Individual Domain</b>			
Rebelliousness	--	40	--
Friends' Delinquent Behavior	--	41	--
Friends' Use of Drugs	--	47	--
Peer Rewards for Antisocial Behavior	40	46	43
Favorable Attitudes toward Antisocial Behavior	40	46	43
Favorable Attitudes toward ATOD Use	39	45	42
Low Perceived Risks of Drug Use	40	46	43
Early Initiation of Drug Use	41	46	43
Sensation Seeking	--	45	--
<b>Risk Factor Average</b>	<b>40</b>	<b>44</b>	<b>43</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

**Table 55. Percentage of Florida middle school students with elevated protective factor scale scores—2000 to 2009**

	2000	2002	2004	2006	2008	2009
<b>Community Domain</b>						
Community Opportunities for Prosocial Involvement	41	40	--	39	--	--
Community Rewards for Prosocial Involvement	54	51	50	51	51	51
<b>Family Domain</b>						
Family Attachment	54	54	52	52	--	--
Family Opportunities for Prosocial Involvement	57	55	54	53	56	54
Family Rewards for Prosocial Involvement	53	51	49	49	50	50
<b>School Domain</b>						
School Opportunities for Prosocial Involvement	48	44	44	45	47	48
School Rewards for Prosocial Involvement	44	41	42	43	45	47
<b>Peer and Individual Domain</b>						
Religiosity	52	55	53	52	51	50
Social Skills	49	50	49	49	--	--
Belief in the Moral Order	48	44	42	43	--	--
<b>Protective Factor Average</b>	<b>50</b>	<b>49</b>	<b>48</b>	<b>48</b>	<b>50</b>	<b>50</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.



**Table 56. Percentage of Florida high school students with elevated protective factor scale scores—2000 to 2009**

	2000	2002	2004	2006	2008	2009
<b>Community Domain</b>						
Community Opportunities for Prosocial Involvement	39	40	--	41	39	39
Community Rewards for Prosocial Involvement	63	62	61	62	61	62
<b>Family Domain</b>						
Family Attachment	54	56	55	53	55	52
Family Opportunities for Prosocial Involvement	54	55	53	52	53	52
Family Rewards for Prosocial Involvement	53	54	54	52	54	52
<b>School Domain</b>						
School Opportunities for Prosocial Involvement	55	55	57	58	59	60
School Rewards for Prosocial Involvement	50	50	54	55	56	56
<b>Peer and Individual Domain</b>						
Religiosity	62	63	62	61	61	62
Social Skills	56	61	60	60	62	62
Belief in the Moral Order	60	60	58	58	59	59
<b>Protective Factor Average</b>	<b>55</b>	<b>56</b>	<b>56</b>	<b>55</b>	<b>56</b>	<b>56</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

**Table 57. Percentage of Florida middle school students with elevated risk factor scale scores—2000 to 2009**

	2000	2002	2004	2006	2008	2009
<b>Community Domain</b>						
Low Neighborhood Attachment	47	48	47	49	--	--
Community Disorganization	47	46	47	47	48	50
Transitions and Mobility	57	61	63	62	61	61
Laws and Norms Favorable to Drug Use	47	46	45	44	44	45
Laws and Norms Favorable to Handguns	46	41	40	41	--	--
Perceived Availability of Drugs	49	50	48	46	49	48
Perceived Availability of Handguns	26	24	25	26	27	26
<b>Family Domain</b>						
Poor Family Management	52	51	52	52	49	52
Family Conflict	41	42	44	44	43	44
Family History of Antisocial Behavior	50	50	51	49	--	--
Parental Attitudes Favorable toward ATOD Use	22	23	24	23	22	24
Parental Attitudes Favorable toward Antisocial Behavior	35	38	41	41	--	--
<b>School Domain</b>						
Poor Academic Performance	54	47	47	47	45	44
Lack of Commitment to School	51	54	55	55	55	53
<b>Peer and Individual Domain</b>						
Rebelliousness	48	49	51	51	--	--
Friends' Delinquent Behavior	55	53	55	54	--	--
Friends' Use of Drugs	47	44	44	41	--	--
Peer Rewards for Antisocial Behavior	38	42	42	41	42	44
Favorable Attitudes toward Antisocial Behavior	46	48	52	52	48	48
Favorable Attitudes toward ATOD Use	47	47	47	45	40	42
Low Perceived Risks of Drug Use	46	47	44	43	41	45
Early Initiation of Drug Use	51	49	47	43	37	38
Sensation Seeking	50	49	51	52	--	--
<b>Risk Factor Average</b>	<b>46</b>	<b>46</b>	<b>46</b>	<b>46</b>	<b>43</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

**Table 58. Percentage of Florida high school students with elevated risk factor scale scores—2000 to 2009**

	2000	2002	2004	2006	2008	2009
<b>Community Domain</b>						
Low Neighborhood Attachment	47	47	47	48	49	49
Community Disorganization	46	45	46	46	49	48
Transitions and Mobility	59	64	67	65	64	65
Laws and Norms Favorable to Drug Use	37	37	37	36	35	35
Laws and Norms Favorable to Handguns	29	24	23	24	23	21
Perceived Availability of Drugs	48	45	43	42	40	39
Perceived Availability of Handguns	46	42	41	43	41	40
<b>Family Domain</b>						
Poor Family Management	51	49	50	51	49	51
Family Conflict	36	37	37	37	37	39
Family History of Antisocial Behavior	49	46	48	45	43	46
Parental Attitudes Favorable toward ATOD Use	37	38	40	39	38	39
Parental Attitudes Favorable toward Antisocial Behavior	40	42	44	46	45	46
<b>School Domain</b>						
Poor Academic Performance	56	46	47	46	44	45
Lack of Commitment to School	47	48	49	49	47	45
<b>Peer and Individual Domain</b>						
Rebelliousness	41	38	41	42	41	40
Friends' Delinquent Behavior	47	43	45	45	44	44
Friends' Use of Drugs	47	43	44	42	39	39
Peer Rewards for Antisocial Behavior	38	39	43	44	42	44
Favorable Attitudes toward Antisocial Behavior	44	43	47	48	47	48
Favorable Attitudes toward ATOD Use	45	43	43	42	40	41
Low Perceived Risks of Drug Use	45	45	44	43	44	47
Early Initiation of Drug Use	49	43	42	39	35	34
Sensation Seeking	44	41	43	44	44	43
<b>Risk Factor Average</b>	<b>45</b>	<b>43</b>	<b>44</b>	<b>44</b>	<b>43</b>	<b>43</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.